


02/08/20
Day 1

Numerical Ability

General Aptitude (10Q-15M)



Time & Distance:

(Basics, problems on trains, Relative speed, Avg speed, boats & streams)

* $Speed = \frac{Distance}{time}$

* $1 \text{ kmph} = \frac{1000}{3600} \text{ m/s} = \frac{5}{18} \text{ m/s}$

$\Rightarrow 1 \text{ m/s} = \frac{18}{5} \text{ kmph}$

if distance is constant

$T \propto \frac{1}{S}$

if T is

Q1) A man takes 5 hrs 45 min in walking to a certain place and riding back. He would have gained 2 hours by riding both ways.

The time he would take to walk both ways is

- a) 11 hrs
- b) 8 hrs 45 min
- c) 7 hrs 45 min
- d) 9 hrs 20 min

Sol:

$$t_1 + t_2 = 5 \times 60 + 45 = 345$$

$$2t_2 = 345 - 120 = 225$$

$$\Rightarrow t_2 = \frac{225}{2}$$

$$t_1 = 345 - \frac{225}{2}$$

$$\Rightarrow 2t_1 = 2\left(345 - \frac{225}{2}\right) = 690 - 225 = 465$$

ie., 7 hrs 45 min

Q2) If I travel at $\frac{5}{4}$ of my speed, I will reach my office 6 minutes early. what is original duration of time I take to reach office?

Sol:

$$t_1 = \frac{d}{s_1}$$

$$t_2 = \frac{d}{s_2}$$

$$t_1 - 6 = \frac{d}{\frac{5}{4}s_1}$$

$$\Rightarrow \frac{5}{4}(t_1 - 6) = \frac{d}{s_1}$$

$$\Rightarrow t_1 = \frac{5}{4}(t_1 - 6)$$


$$\frac{1}{4}t_1 = 30$$

$$\Rightarrow t_1 = 120 \text{ min}$$

$$\Rightarrow t_1 = 30 \text{ min}$$

Q3) A train leaves Delhi for Mumbai, a distance of 1600 km and at the same time another train leaves Mumbai for Delhi. These trains meet at Bhopal at a distance of 600 km from Delhi. what is ratio of their speeds.

Sol:



Since both the trains traveled in their respective distances in same time (time is constant)

$$\Rightarrow S \propto D$$

$$\frac{S_1}{S_2} = \frac{D_1}{D_2} = \frac{600}{1000} = \frac{3}{5}$$

$$\therefore 3:5$$

Q4



Anura $\xrightarrow{80 \text{ kmph}}$ 60 kmph
 t_1 (2 hrs 15 min)

$$1st \rightarrow 80 \times (2\frac{1}{4}) = 80 \times \frac{9}{4} = 180 \text{ km}$$

remaining dist = 170 km

$$t_2 = \frac{170}{60} \text{ hrs}$$

$$\text{total time} = \frac{9}{4} + \frac{17}{6} = \frac{27+34}{12} = \frac{61}{12} \text{ hrs}$$

> 5 hrs 5 min

\therefore She will reach by 10:25

\therefore opt (d)

Q5

total distances = 800 km

\therefore total time = 17 hrs

Let v be speed in return journey

the $\frac{5}{4}v$ is speed in onward journey

Onward journey | + | hrs | return journey
 $\frac{4}{5}S, t_1, 400\text{km}$ | | $S, t_2, 400\text{km}$

$$t_1 = \frac{400}{\frac{5}{4}S}$$

$$t_2 = \frac{400}{S}$$

$$\text{given } t_1 + t_2 + 1 = 17$$

$$\Rightarrow t_1 + t_2 = 16$$

$$\frac{4}{5} \frac{400}{S} + \frac{400}{S} = 16$$

$$\Rightarrow \frac{9}{5} \frac{400}{S} = 16 \Rightarrow S = \frac{9 \times 80}{16} = 45 \text{ km/hr}$$

But speed of onward journey = $\frac{5}{4}S$

$$= \frac{5}{4} (45) = 56.25 \text{ km/hr}$$

Q6

$$t_1 = \frac{715}{S_1}$$

$$t_2 = \frac{715}{S_2}$$

$$t_1 - 2 = \frac{715}{S_1 + 10}$$

$$\Rightarrow t_1 = \frac{715}{S_1 + 10} + 2$$

$$\Rightarrow \frac{715}{S_1} = \frac{715}{S_1 + 10} + 2$$

$$\Rightarrow \frac{715}{S_1} = \frac{715 + 2S_1 + 20}{S_1 + 10}$$

$$\Rightarrow 715S_1 + 7150 = 715S_1 + 2S_1^2 + 20S_1$$

$$\Rightarrow 2S_1^2 + 20S_1 - 7150 = 0$$


$$S_1^2 + 10S_1 - 3575 = 0$$

$$S_1(S_1 + 10) = 3575$$

$$\therefore S_1 = 55$$

$$65 \times 55 = 3575$$

Q7



Car 1		Car 2
20 kmph, t_1, d		30 kmph, $t_1 - 1\frac{1}{2} - 2\frac{1}{2}, d$

$$t_1 = \frac{d}{20} \quad t_1 - 4 = \frac{d}{30}$$

$$\Rightarrow \frac{d}{20} = \frac{d}{30} + 4$$

$$\frac{d}{20} - \frac{d}{30} = 4 \Rightarrow \frac{d}{2} - \frac{d}{3} = 40$$

$$\Rightarrow \frac{d}{6} = 40$$

$$\Rightarrow d = 240 \text{ km}$$

Q8

Case 1		Case 2		Case 3
s_1, t_1, d_1		$s_1 + 10, t_1 - 1, d_1$		$s_1 + 20, t_1 - 1 - \frac{3}{4}, d_1$

$$d = st$$

↓
①

$$d = (s+10)(t-1)$$

$$d = st - s + 10t - 10$$

↓
②

$$d = (s+20)(t - \frac{7}{4})$$

$$d = st - \frac{7}{4}s + 20t - 35$$

↓
③

① - ②

$$0 = s - 10t + 10$$

$$\Rightarrow s = 10t - 10$$

② - ③

$$\Rightarrow 0 = -s + 10t - 10 + \frac{7}{4}s - 20t + 35$$

$$\Rightarrow \frac{3}{4}s - 10t + 25 = 0$$

$$\Rightarrow 3s - 40t + 100 = 0$$


$$\Rightarrow 3(10t - 10) - 40t + 100 = 0$$

$$30t - 30 - 40t + 100 = 0$$

$$\Rightarrow -10t = -70 \Rightarrow t = 7 \Rightarrow s = 60$$

∴ 1. 420 km

Q9




∴ distances in 1 min = 1000 m
 distance in 1 hr = 1000 × 60 m
 ∴ 60 km/hr

Average Speed:

$$\text{Avg speed} = \frac{\text{total distance}}{\text{total time}}$$

Q10




$$\text{Avg speed} = \frac{1000}{10} = 100 \text{ km/hr}$$

Q11

$$\begin{array}{c|c|c} v_1 = 50 & v_2 = 48 & v_3 = 52 \\ \hline t_1 = 1 & t_2 = 2 & t_3 = 3 \end{array}$$

$$\begin{aligned} \text{Avg speed} &= \frac{\text{total distance}}{\text{total time}} \\ &= \frac{v_1 t_1 + v_2 t_2 + v_3 t_3}{t_1 + t_2 + t_3} \\ &= \frac{50 + 96 + 156}{6} \\ &= \frac{302}{6} = 50\frac{1}{3} \text{ km/hr} \end{aligned}$$

Q12



Avg speed = $\frac{\text{total dist}}{\text{total time}}$

$$= \frac{d}{\frac{d}{120} + \frac{d}{120} + \frac{d}{40}}$$

$$= \frac{40}{\frac{1}{3} + \frac{1}{3} + 1} = \frac{40}{\frac{5}{3}} = 24 \text{ km/hr}$$


$$t_1 = \frac{d/2}{60} = \frac{d}{120}$$

$$t_2 = \frac{d}{120}$$

$$t_3 = \frac{d}{40}$$

Method 2 :

For easier calculation we assume some value for d
Here appropriate value for d could be 120



$$t_1 = \frac{60}{60} = 1 \quad t_2 = 1 \quad t_3 = 3$$

$$\text{Avg speed} = \frac{120}{1+1+3} = \frac{120}{5} = 24 \text{ kmph}$$

Q13

$$\frac{d}{\frac{d}{80} + \frac{d}{60} + \frac{d}{30}}$$

$$= \frac{30}{\frac{1}{80} + \frac{1}{60} + \frac{1}{30}} = \frac{30}{\frac{1}{8} + \frac{1}{6} + \frac{1}{3}}$$

$$= \frac{30}{\frac{8+4+8}{24}} = \frac{30 \times 24}{18}$$


$$= 48 \text{ kmph}$$

(P1) P looks at Q while Q looks at R. P is married, R is not. The number of pair of people in which a married person is looking at an unmarried person is

- a) 0 b) 1 c) 2 d) can't be determined

Sol:

Q can be either married or unmarried



Here req pair is ~~P, R~~
(P, Q)



Here req pair is (Q, R)

∴ 1 pair

(Q14)

total distance = 40000 km

at any moment we have 4 tyres travelling

total distance travelled by tyres = 40000×4

Now this is equally distributed among 5 tyres

∴ avg distance by each tyre = $\frac{40000 \times 4}{5} = 32000$ km

03/08/20
day 82

(Pu 2)

P, Q, and R talk about S' car collection. P states that S has at least 3 cars. Q believes that S has less than 3 cars. R indicates that to his knowledge S has at least one car. Only one of P, Q and R is right. The number of cars owned by S, is.

- a) 0 b) 1 c) 3 d) can't be determined.

Sol:

One of the conditions is true. So we check for all possibilities

≥ 3 < 3 ≥ 1
 ① T F F

This not possible because

≥ 3 is true \Rightarrow ≥ 1 is true

② F T F

This is possible only if '0' cars

③ F F T

This not possible because ≥ 3 & < 3 can't have same truth values.

\therefore 2nd is true

\therefore 0 cars.

Method 2 :

All possible values are

{ 0, 1, 2, 3, 4, 5, 6, 7, ... }

\downarrow
 0, R are true

only 0 is true

\therefore 0

P \rightarrow ≥ 3

Q \rightarrow < 3

R \rightarrow ≥ 1

Problems on trains:

① Train crossing a stationary object:

Speed = speed of train

② Train crossing moving object:

Relative speed = $\begin{cases} s_1 + s_2 \leftarrow \text{both moving in opposite direction} \\ |s_1 - s_2| \leftarrow \text{both moving in same direction.} \end{cases}$

3) Train crossing an object with negligible length

to cross the object

distance = length of train

4) Train crossing an object with some length:

to ~~the~~ cross the object

distance = length of train + length of object.

Q1

$$t_1 = \frac{d_1}{v}$$

$$t_2 = \frac{d_2}{v}$$

$$23 = \frac{272 + l}{v}$$

$$19 = \frac{200 + l}{v}$$

$$\Rightarrow \frac{272 + l}{23} = \frac{200 + l}{19}$$

$$19(272) + 19l = 200(23) + 23l$$

$$\Rightarrow 4l = 19(272) - 200(23)$$

$$l = 19(58) - 50(23)$$

$$l = 142 \text{ m}$$

Q2

$$t_1 = 25 \quad v = 54 \text{ km/h}$$

$$= 54 \times \frac{5}{18}$$

$$= 15 \text{ m/s}$$

$$D_1 = l_p + l_e$$

$$d_1 = vt_1$$

$$(l_p + 210) = 15 \times 25$$

$$l_p = 375 - 210$$

$$= 165$$

$$t_2 = 14 \quad v_t = 15 \text{ m/s}$$

$$d_2 = l_t$$

$$\Rightarrow d = vt_2$$

$$= 15 \times 14$$

$$= 210$$

$$\Rightarrow l_t = 210$$

$$v_m = 9 \times \frac{5}{18} = 2.5 \text{ m/s}$$

$$v_r = 15 - 2.5 = 12.5$$

$$= 12.5 \times 14$$

$$= 175$$

$$\Rightarrow l_t = 175$$

\therefore \text{opt (d)}

Q3

$$10 = \frac{l_t}{v_t}$$

$$44 = \frac{l_t + l_p}{v_t}$$

$$v_t = 72 \times \frac{5}{18} = 20 \text{ m/s}$$

$$\Rightarrow 10v_t = 44v_t - l_p$$

$$10(20) = 44(20) - l_p$$


$$l_p = 34(20) = 680 \text{ m}$$

Method 2

34 sec increased for platform

$$\therefore \text{length of platform} = 20 \times 34 = 680 \text{ m/s}$$

Q4



$$45 \times \frac{5}{18} = \frac{25}{2}$$

$$9 \times \frac{5}{18} = \frac{5}{2}$$

$$v_r = v_t - v_m = \frac{25}{2} - \frac{5}{2} = 10 \text{ m/s}$$

$$t = \frac{d}{s} = \frac{240}{10} = \frac{360}{10} = 36 \text{ sec}$$

Q5

$$v_r = 60 - 50 = 10 \text{ kmph}$$

for 20 km — 2 hrs.


Q6

$$v_r = 80 + 100 = 180 \text{ kmph}$$

$$t = \frac{540}{180} = 3 \text{ hrs}$$

$$\therefore 7 + 3 = 10 \text{ A.M}$$

Q7



at 8 am 1st train will be at 20 km

90 km need to be covered

$$V_R = 20 + 25 = 45 \text{ km/h}$$

$$\therefore t = \frac{90}{45} = 2 \text{ hrs}$$


$$\therefore 8 + 2 = 10$$

\therefore They meet at 10 am

Q8

$$V_A = 50 \quad V_B = 60$$

$$V_R = 110 \text{ kmph}$$



$$2x + 120 = ?$$

let t be time

$$t = \frac{x}{50} \quad t = \frac{x+120}{60}$$

$$\frac{x}{50} = \frac{x+120}{60}$$

$$6x = 5x + \frac{600}{10} \Rightarrow x = 720 \quad x > 600$$

$$\Rightarrow 2x + 120 = 1320 \text{ km}$$

Method 2:

bus 2 travelled 120 km more

\therefore its speed is 10 kmph more

it means 12 hrs are travelled before they meet

\therefore dist by bus 1 + dist by bus 2

$$50 \times 12 + 60 \times 12$$

$$110 \times 12 = 1320 \text{ km}$$

Boats & Streams

terminology :

speed of boat in still water = S_B

if speed of stream / current / water flow = S_w then

upstream (against the stream)

$S_{us} = |S_B - S_w|$

Downstream (along with the stream)

$S_{ds} = S_B + S_w$

Q9

$S_B = 16 \text{ kmph}$

~~$S_{us} = S_B - S_s = 12$~~
 $\Rightarrow S_s = 4 \text{ kmph}$

$\frac{20}{S_B + S_s} = \frac{12}{S_B - S_s} \Rightarrow \frac{5}{16 + S_s} = \frac{3}{16 - S_s}$

$\Rightarrow S_s = 4 \text{ kmph}$


Q10

$S_B = 20 \text{ kmph}$ $S_s = 10 \text{ km/s}$

$t_1 = \frac{d}{20+10}$ $t_2 = \frac{d}{20-10}$

$t_1 + t_2 = \frac{d}{30} + \frac{d}{10} = 10$

$\frac{4d}{30} = 10 \Rightarrow d = 75 \text{ km}$



Q11

$S_B = 20 \text{ kmph}$

down stream

up stream

$t = \frac{d}{20 + S_s}$ — ①

$3t = \frac{d}{20 - S_s}$ — ②

$\frac{①}{②} \Rightarrow \frac{1}{3} = \frac{\frac{1}{20 + S_s}}{\frac{1}{20 - S_s}} \Rightarrow 20 + S_s = 60 - 3S_s$

$\Rightarrow S_s = 10 \text{ kmph}$

Profit & Loss

→ profit % & loss % is should calculated on cost price.

$$\text{profit \%} = \frac{\text{profit}}{\text{CP}} \times 100 \quad \text{Loss \%} = \frac{\text{loss}}{\text{CP}} \times 100$$

→ profit % & loss % is calculated on SP only if it is mentioned

Eg: 10% loss

$$\Rightarrow \text{SP} = 90\% \text{ CP}$$

20% profit

$$\text{SP} = 120\% \text{ CP}$$

Q12

$$\text{SP} = 418$$

$$\text{SP} = 110\% \text{ CP}$$

$$418 = \frac{110}{100} \text{ CP}$$

$$\Rightarrow \text{CP} = \frac{100}{110} \times 418 = 380$$

Q13

$$\text{profit} = 25\% \text{ SP}$$

$$\text{SP} - \text{CP} = \text{profit}$$

$$\text{original profit} = \frac{\text{profit}}{\text{CP}} \times 100$$

$$\text{SP} - \text{CP} = 25\% \text{ SP}$$

$$\text{SP} - \text{CP} = \frac{25}{100} \text{ SP}$$

$$= \frac{25\% \text{ of SP}}{\text{CP}} \times 100$$

$$\Rightarrow \text{CP} = \frac{3}{4} \text{ SP}$$

$$= \frac{\frac{1}{4} \text{ SP}}{\frac{3}{4} \text{ SP}} \times 100$$

$$= \frac{100}{3} = 33\frac{1}{3}\%$$

Method 2:

$$\text{assume SP} = 100$$

$$\Rightarrow \text{profit} = 25$$

$$\text{CP} = 75$$

$$\text{profit \%} = \frac{25}{75} \times 100 = 33\frac{1}{3}\%$$

Q14

$$CP \text{ of } 120 \text{ reams} = 120 \times 80 + 280 + 120 \times 0.4 + 72$$

$$CP = 10000$$

$$SP = 108\% \text{ of } CP \\ = 10800$$

$$SP \text{ per ream} = \frac{10800}{120} = 90$$

Q15

~~SP = 9~~

$$450 = 90\% \text{ of } CP$$

$$\Rightarrow CP = \frac{100}{90} (450) = 500$$

$$SP = 540 \Rightarrow \text{profit} = 40$$

$$\text{profit } \% = \frac{40}{500} \times 100 = 8\% \text{ gain}$$

Q16

$$SP_1 = 97.5\% \text{ of } CP \quad SP_2 = 107.5\% \text{ of } CP$$

$$SP_2 - SP_1 = 10\% \text{ of } CP = 100$$

$$\Rightarrow CP = 1000$$

$$SP = \frac{112.5}{100} \times 1000$$

$$SP = 1125$$

Q17

~~12.5 loss~~

$$22.5\% \text{ of } CP = 108$$

$$\frac{22.5}{100} CP = 108 \Rightarrow CP = \frac{108 \times 100}{22.5}$$

$$\text{loss is } 12.5\% \Rightarrow \frac{108 \times 100}{22.5} \times \frac{12.5}{100} = 60$$

04/08/20
day 3

PU/3 Find the sum of the series given below

$$1(1!) + 2(2!) + 3(3!) + \dots + 2020(2020!)$$

- a) $2021! + 1$
- b) $2021! - 1$
- c) $2021 * 2021!$
- d) Can't be determined

Sol:

Consider

$$1(1!) + 2(2!) = 5 = 3! - 1$$

$$1(1!) + 2(2!) + 3(3!) = 23 = 4! - 1$$

\therefore Similarly

$$1(1!) + 2(2!) + \dots + 2020(2020!) = 2021! - 1$$

Q1 CP = 5600

$$SP = \frac{3}{4} (5600)$$

i.e., 25% loss

Q2

$$CP \times 40 = SP \times 50 \quad \text{if } P \text{ is profit or loss}$$

$$CP \times 40 = \frac{100+P}{100} CP \times 50$$

$$40CP = \left(1 + \frac{P}{100}\right) CP \times 50$$

$$1 + \frac{P}{100} = \frac{4}{5}$$

$$\frac{P}{100} = -\frac{1}{5} \Rightarrow P = -20\%$$

i.e., 20% ~~profit~~ loss

Method 2 :

$$40CP = 50SP$$

$$\Rightarrow SP = \frac{4}{5} CP$$

$$SP = \left(1 - \frac{1}{5}\right) CP$$

$$\therefore \text{loss} = 20\%$$

Q3

$$20CP = xSP$$

$$SP = \frac{20}{x} CP$$

to get 25% profit

$$\frac{20}{x} = \frac{125}{100} \Rightarrow \frac{20^4}{x} = \frac{5}{4} \Rightarrow x = 16$$

Q4

~~Money spent = 12 × 10~~

~~CP~~ $\xrightarrow{12} \xrightarrow{10} \Rightarrow 1$

~~CP = 120~~

$$CP: \quad \frac{10}{12} = \frac{5}{6}$$

$$SP: \quad \frac{12}{10} = \frac{6}{5}$$

$$\text{Profit} = \frac{6}{5} - \frac{5}{6} = \frac{36 - 25}{30} = \frac{11}{30}$$

$$\text{profit \%} = \frac{\frac{11}{30}}{\frac{5}{6}} \times 100 = 44\%$$

Q5

$$2SP = 10SP - 10CP$$

profit on 10 apply

$$\Rightarrow 10CP = 8SP \Rightarrow SP = \frac{5}{4} CP$$

\Rightarrow 25% profit

Q6

$$SP(800g) = CP(1kg)$$

$$800SP = 1000CP$$

$$SP = \frac{5}{4} CP$$

\Rightarrow 25% profit

Q7

Merchant A

Merchant B

$$SP_A = 1000$$

$$SP_B = 1000$$

$$P_A = 25\% \text{ of } CP$$

$$P_B = 25\% \text{ of } SP$$

$$= \frac{25}{100} \times 1000 = 250$$

$$SP = \frac{5}{4} CP$$

$$\Rightarrow CP = 800$$

$$P_A = \frac{1}{4} \times 800 = 200$$

$$\therefore P_B - P_A = 50$$

Q8

$$18\% - 11\% \text{ --- } 175$$

$$7\% \text{ --- } 175$$

$$1\% \text{ --- } 25$$

$$100\% \text{ --- } 2500$$

Q9

Profit = loss

$$SP_1 - CP = CP - SP_2$$

$$\Rightarrow CP = \frac{SP_1 + SP_2}{2} = \frac{575 + 295}{2} = \frac{870}{2} = 435$$

\therefore opt (E)

Q10

$$\begin{array}{ccccccc}
 M & \xrightarrow{10\%} & W & \xleftarrow{30\%} & R & \xrightarrow{50\%} & C \\
 x & & 1.1x & & (1.3)(1.1)x & & (1.5)(1.3)(1.1)x
 \end{array}$$

$$(1.5)(1.3)(1.1)x = 4290$$

$$\Rightarrow x = 2000$$

Q11

$$A \quad \text{---} \quad B \quad \text{---} \quad C \quad \text{---} \quad D$$

$$x+110 \quad 1.2(x+110) \quad 0.9(1.2)(x+110) \quad (1.17)(0.9)(1.2)(x+110)$$

$$1.1 \times 0.9 \times 1.2 \times (x+110) = 1188$$

$$\Rightarrow x+110 = 1060$$

$$\Rightarrow x = 890$$

Q12

$$SP_1 = 9900$$

10% gain

$$SP_1 = \frac{11}{10} CP$$

$$P = \frac{10}{11} CP = 9000$$

$$\Rightarrow P_1 = 900$$

$$SP_2 = 9900$$

10% loss

$$SP_2 = \frac{9}{10} CP$$

$$CP = \frac{10}{9} (9900)$$

$$CP = 11000$$

$$P_2 = -1100$$


$$P_2 = -1100$$

\therefore 200 loss


$$\text{Total CP} = 9000 + 11000 = 20000$$

$$\Rightarrow \text{Loss} \% = \frac{200}{20000} \times 100 = 1\%$$

Q13



$$P_1 = 10\%x + 12\%(100000-x)$$



$$P_2 = 12\%x + 10\%(100000-x)$$

$$\Rightarrow P_2 = P_1 - 120$$

$$\Rightarrow P_1 - P_2 = 120$$

$$-2\% + 2\%(100000-x) = 120 \Rightarrow x = 47000$$

$$\therefore 47:53$$

Q14

$$SP_1 = 9086$$

$$SP_2 = 9086$$

$$9086 = \frac{118}{100} CP_1$$

$$9086 = \frac{88}{100} CP_2$$

$$CP_1 = 7700$$

$$CP_2 = ~~1000~~ 10325$$

$$P_1 = 1386$$

$$P_2 = -1239$$

$$\begin{aligned} \text{total profit} &= 1386 - 1239 \\ &= 147 \end{aligned}$$

$$\text{total CP} = 18025$$

$$\text{Profit \%} = \frac{147}{18025} \times 100 = 0.815\%$$

Q15

$$CP_1 = 750$$

$$CP_2 = 750$$

$$+6\%$$

$$-4\%$$

$$\begin{aligned} \text{overall gain} &= \frac{6}{100} (750) - \frac{4}{100} (750) \\ &= 15 \end{aligned}$$

$$\text{Overall gain} = \frac{15}{1500} \times 100 = 1\% \text{ gain}$$

Q16

$$CP_1 = x$$

$$C_2 = 2x$$

$$\text{Overall} = \frac{-15}{100} x + \frac{12}{100} (2x)$$

$$= \frac{9x}{100}$$

$$\text{net profit} = \frac{\frac{9x}{100}}{3x} \times 100$$

$$= 3\%$$

Discount

The new price other than CP is called

CP \longrightarrow Marked price / labelled price / list price / tag price \longrightarrow SP

* Discount is by default ~~cal~~ calculated on Marked price

Q17

$$\text{labelled price} = \frac{130}{100} \text{ CP}$$

$$\text{SP} = \frac{90}{100} \left(\frac{130}{100} \text{ CP} \right)$$

$$= \frac{117}{100} \text{ CP}$$

i.e., 17% profit

Q18

$$\text{SP} = \frac{125}{100} \text{ CP}$$

$$\frac{125}{100} \text{ CP} = \frac{90}{100} (\text{LP})$$

LP - list price

$$\frac{5}{4} \text{ CP} = \frac{9}{10} \left(\frac{100}{500} \right) 10$$

$$\text{CP} = 360/-$$

Q19

$$\text{CP} = 150 \times 250 + 2500 = 40000$$

$$\text{LP} = 150 \times 320$$

\downarrow -5%

$$\text{SP} = \frac{95}{100} \times 150 \times 320 = 45600$$

$$\text{P}\% = \frac{5600}{40000} \times 100 = 14\%$$

→ Successive discounts of 10%, 20%, 50% is equal to _____ % single discount

Sol:

Start assuming initial price is 100

$$100 \xrightarrow{-10\%} 90 \xrightarrow{-20\%} 72 \xrightarrow{-50\%} 36$$

$$100 - 36 = 64$$

∴ 64% discount

Simple Interest & Compound Interest

* Interest is always calculated on principle

P → principal / sum

R → Rate of interest (P.C.Pa)
% per annum

CI → After certain time, interest is added to principal

SI → Interest is never added to principal

* Amount = Principal + interest.

Ex: P = 10000 R = 10% Pa T = 3 years

CI:

Here let us calculate ~~the~~ Compounding annually

$$10000 \xrightarrow{+10\%} 11000 \xrightarrow{+10\%} 12100 \xrightarrow{+10\%} 13310$$

$$\text{Now CI for 3 years} = 13310 - 10000 = 3310$$

Method 2:

$$\frac{110}{100} \frac{110}{100} \frac{110}{100} P = \left(\frac{11}{10}\right)^3 (10000) = 13310$$

~~Sol~~

$$\text{CI for } n \text{ years} = P \left(1 + \frac{R}{100}\right)^n - P$$

SI:

$$10000 \begin{cases} +10\% & 1000 \\ +10\% & 1000 \\ +10\% & 1000 \end{cases} = 3000$$

\therefore SI for 3 years = 3000

$$\boxed{\text{SI for Time } T = \frac{PTR}{100}}$$

\rightarrow SI for 1st year and CI for 1st year when compounded annually is same, if P & R is same in both cases.

day 4

(P4) A function f defined as $2f(n) = f(n+2) + f(n+1)$ when $n > 0$ and $f(1) = f(2) = -1$. what is the value of $f(2020)$

$$f(1) + f(2) + f(3) + \dots + f(2020)?$$

sol:

 $n=1$

$$2f(1) = f(3) + f(2)$$

$$-2 + 1 = f(3) \Rightarrow f(3) = -1$$

 $n=2$

$$2f(2) = f(4) + f(3)$$

$$f(4) = -2 + 1 = -1$$

$$\text{Similarly } f(n) = -1$$

$$\therefore f(1) + f(2) + f(3) + \dots + f(2020)$$

$$-1 + (-1) + (-1) + \dots + (-1) = -2020$$

Q1 $P = 500$

SI1:
 $\frac{5}{100} \times 500 = 25$

for 3 years, $SI = 3 \times 25 = 75$

SI2:

~~$500 \xrightarrow{+4\%} 520$~~

~~$(\frac{4}{100} \times 500)$~~ $\frac{4}{100} \times 500 = 20$

for 4 years, $SI = 4 \times 20 = 80$

$\therefore 80 - 75 = 5$

Method 2:

5% Pa	4% Pa
3 years	4 years
<hr/> 15%	<hr/> 16%

$\therefore 16\% - 15\% = 1\%$

$\therefore 1\% (500) = 5$

Q2

10% for 1 year — 1000

10% pa, 2 years — 2000

73 days = $\frac{1}{5}$ th year $\rightarrow \frac{1}{5} (1000) = 200$

$\therefore \text{total} = 2000 + 200 = 2200$

Q3

diff — 4%

2 yrs — 8% — 72

1% — 9

100% — 900

Now $P = 900$

Q4

100 $\xrightarrow{12 \text{ year}}$ 200

12 years produces 100/- interest

we need another 12 yrs to get another 100/- interest

Now after 24 yrs

total = 100 + 100 + 100 = 300

\therefore tripled after 24 yrs.

Q5


diff in 3 yrs = 1350 - 1260
= 90

in 1 yr = 30/-

initial amount = 1260 - 2(30)
= 1200

$R = \frac{30}{1200} \times 100 = 2.5\% \text{ p.a.}$

Q6



4% (800) = 32

i.e., 3 yrs \Rightarrow 32 x 3 = 96

\therefore 956 + 96 = 1052

Q7

$SI_1 = 10\% (12000)$
= 1200

$SI_2 = 20\% (x)$

total SI = 14 PCPA


$SI_1 + SI_2 = 14\% (12000 + x)$

$1200 + \frac{20}{100} x = \frac{14}{100} (12000) + \frac{14}{100} x$

$\frac{6}{100} x = 14(120) - 10(120) \Rightarrow \frac{6}{100} x = 4(120) \Rightarrow x = 8000$

\therefore total investment = 12000 + 8000 = 20000

Method 2 :



$$6:4 = 3:2$$

$$\begin{array}{l} 3 - 12000 \\ 2 - 8000 \end{array} \left. \vphantom{\begin{array}{l} 3 - 12000 \\ 2 - 8000 \end{array}} \right\} 20000$$

★

Q8

$$8160 = \frac{(6)3}{100} P + \frac{(9)5}{100} P + \frac{(13)3}{100} P$$

$$8160 = \frac{18 + 45 + 39}{100} P$$


$$8160 = \frac{102}{100} P$$

~~$$8160 = \frac{2}{100} P \Rightarrow P = 8160 \times 50$$~~

$$P = \frac{50}{51} (8160)$$

$$P = 8000$$

Q9



Q9

10 yrs — 600

1 yrs —

5 yrs — 300

2nd 5 yrs — 300 × 3

$$\therefore 300 + 900 = 1200$$

810

$$\frac{105}{100} \cdot \frac{110}{100} \cdot \frac{120}{100} x = 1386$$

$$x = 1000$$

*

811

for 2 yrs — $\frac{110}{100} \cdot \frac{110}{100} 4000$

$$4840$$

for 3 mths — 2.5

(2.5) ~~$\frac{2.5}{100} (4840)$~~ $\frac{41}{100} \cdot \frac{121}{100} (4840)$

$$= 4961$$

$$\begin{array}{r} 121 \times 41 \\ \hline 121 \\ 484 \\ \hline 4961 \end{array}$$

$$CI = 4961 - 4000 = 961$$

812

20% for 1 yr
5% for quarter year

~~amount = $\frac{16000}{100} \cdot \frac{8}{2} \cdot \frac{5}{4}$~~

amount = $16000 \cdot \frac{21}{100} \cdot \frac{21}{100} \cdot \frac{21}{100}$

$$\begin{array}{r} 21 \times 21 \\ \hline 42 \\ \hline 441 \end{array}$$

$$= 42 \times 441 = 18522$$

$$\begin{array}{r} 441 \times 42 \\ \hline 882 \\ 1764 \\ \hline 18522 \end{array}$$

$$\therefore CI = 18522 - 16000 = 2522$$

813

$$P \xrightarrow{4 \text{ yrs}} 3P \xrightarrow{4 \text{ yrs}} 9P \xrightarrow{4 \text{ yrs}} 27P \xrightarrow{4 \text{ yrs}} 81P$$

$\therefore 16 \text{ yrs.}$

814

$$x^3 P = 2200$$

$$x^6 P = 4400 \Rightarrow x^3 = 2$$

$$x^3 P = 2200$$

$$\Rightarrow P = \frac{2200}{2} = 1100$$

Method 2 :

$$P \xrightarrow{+3\%} 2200 \xrightarrow{+3\%} 4400$$

\therefore amount is doubling ~~at~~ after 3 yrs

$$\therefore P = \frac{2200}{2} = 1100$$

Q15

$$P \xrightarrow{+8} 3P \xrightarrow{+8} 3^2P \xrightarrow{+8} 3^3P \xrightarrow{+8} 3^4P \xrightarrow{+8} 3^5P \quad (243P)$$

\therefore 40 yrs

Q16

$$x^{15} P = 27P \Rightarrow x^{15} = 27 \Rightarrow (x^5)^3 = 3^3 \Rightarrow x^5 = 3$$

In 25 years,

$$x^{25} P = (x^5)^5 P = 3^5 P$$

\therefore 243 times

Q17

5% — 1yr

10% — 2yr

10% \rightarrow 60

100% — 600

P = 600

CI:

$$\begin{array}{r} 600 \\ + 5\% \\ \hline 630 \\ + 5\% \\ \hline 661.5 \end{array}$$

$$\begin{array}{r} 600 \\ + 10\% \\ \hline 660 \\ + 10\% \\ \hline 726 \end{array}$$

$$\therefore 661.5 - 600$$

$$= 61.5$$

Method 2

SI for 1st yr = 30

SI for 2nd yr = 30

CI for 1st yr = 30

CI for 2nd yr = 30 + 5% (30)
= 30 + 1.5 = 31.5

∴ Total CI = 30 + 31.5 = 61.5

Q18

12500
+20%

15000
-2000 (repayment)

end of 1st yr 13000
+20%

15600
-2000 (repayment)

end of 2nd yr 13600
+20% i.e. 2720

16320
-2000 (repayment)

14320

Q19

~~$\left(\frac{P}{100}\right)^3 P - \left(\frac{P}{100}\right)^2 P$~~

$x^3 P - x^2 P = 5324 - 4840$

$x^2 P (x - 1)$

Q19) $P\left(1 + \frac{R}{100}\right)^2 = 4840$ — (1)


$P\left(1 + \frac{R}{100}\right)^3 = 5324$ — (2)

$\frac{(2)}{(1)} \Rightarrow 1 + \frac{R}{100} = \frac{5324}{4840}$

$\frac{R}{100} = \frac{484}{4840}$

$\Rightarrow R = 10\% \text{ Pa}$

Method 2



$R = \frac{484}{4840} \times 100 = 10\%$

Q20

$\left(\frac{110}{100}\right)^5 P \geq 10^6$

$P \geq \frac{10^6 \times 10^5}{11^5}$

$\Rightarrow P = 621000$

Q21

CI for 1st yr = x

CI for 2nd yr = $x + \frac{12.5}{100}x$

$\Rightarrow x + x + \frac{12.5}{100}x = 510$

$x(2 + 0.125) = 510$

$x = \frac{510}{2.125}$

SI for 2 yrs = $2x = \frac{1020}{2.125} = 480$

Method 2 :

$$P \left(\frac{112.5}{100} \right)^2 - P = 510$$

$$P \left(1 + \frac{1}{8} \right)^2 - P = 510$$

$$P \left(\frac{9}{8} \right)^2 - P = 510$$

$$P \left(\frac{81-64}{64} \right) = 510 \Rightarrow P = 1920$$

$$SI = 12.5\% \text{ Pa}$$

for 2yrs 25% / 100

$$\frac{25}{100} (1920) = 480$$

Problems on Ages:

present age = 'x' years

After / from now / hence / in / later 5 years \rightarrow x+5 years

3 year ago / before / back \rightarrow x-3 years

Q22

present age = 3

$$(x+3)(3) - 3(x-3) = 18$$

$$3x+9 - 3x+9 = 18$$

Q23

$$\frac{x}{y} = \frac{5}{3} \Rightarrow 3x = 5y \Rightarrow x = \frac{5y}{3}$$

$$\frac{x-4}{y+4} = \frac{1}{1} \Rightarrow x-4 = y+4$$

$$x-y = 8$$

$$\frac{5y}{3} - y = 8 \Rightarrow \frac{2y}{3} = 8 \Rightarrow y = 12$$

$$\Rightarrow x = 20$$

$$\frac{x+4}{y-4} = \frac{24}{8} \Rightarrow 3:1$$

Q24

$$A - x \quad B - y$$

$$x + 10 = 2(y - 10) \quad \text{--- ①}$$

$$x = y + 9 \quad \text{--- ②}$$

$$\text{① in ② } \Rightarrow 10 + y + 9 = 2y - 20$$

$$\Rightarrow y = 39$$

Q25

$x = 5 + 2y \Rightarrow y = \frac{x-5}{2}$	Hema - x
	Hari - y
	Suresh - z

$$z = 10y - 13$$

$$z = 3x$$

$$\rightarrow 3x = 10y - 13$$

$$3x = 10\left(\frac{x-5}{2}\right) - 13$$

$$3x = 5x - 25 - 13$$

$$2x = 38 \Rightarrow x = 19$$

Q26

$$\frac{x-6}{y-6} = \frac{6}{5} \Rightarrow 5x - 30 = 6y - 36$$

$$\Rightarrow 5x - 6y = -6$$

$$\frac{x+4}{y+4} = \frac{11}{10} \Rightarrow 10x + 40 = 11y + 44$$

$$\Rightarrow 10x - 11y = 4$$

$$10x - 12y = -12$$

$$10x - 11y = 4$$

$$\hline +$$

$$-y = -16 \Rightarrow y = 16$$

Q27

$$M - 10 = 4(d - 10)$$

$$M + 10 = 2(d + 10)$$

$$\underline{\quad \quad \quad}$$

$$-20 = 2d - 60$$

$$\Rightarrow 2d = 40 \Rightarrow d = 20$$

Q28

$$F = 38$$

$$S = x$$

At the time of birth father's age = $38 - x$

$$\therefore 38 - x = x$$

$$\Rightarrow 2x = 38 \Rightarrow x = 19$$


5 yrs back

$$\therefore x - 5 = 19 - 5 = 14$$

06/08/20
day 5

(PUS) you have 15 Rs with you. You go to a shop and shopkeeper tells you price as 1 Rs per chocolate. He also tells you that you can get a chocolate in return of 3 wrappers. How many maximum chocolates you can eat?

Sol :



\therefore total of 22 chocolates.

Allegations & Mixture

Eg: The cost of type 1 rice is Rs. 15 per kg and type 2 rice is Rs. 20 per kg. If both type 1 and type 2 are mixed in the ratio of 2:3, then mixed rice price per kg is:

Sol:

15 kg 20 kg

2 3

$$\text{Mixed rice/kg} = \frac{15(2) + 20(3)}{2+3} = \frac{90}{5} = 18$$

Silly if the ratio is 4:1

$$\text{Mixed rice/kg} = \frac{15(4) + 20(1)}{5} = \frac{60+20}{5} = 16$$


→ Mixed price must be b/w extremes

i.e., b/w the two prices

Eg: Type 1 is 15/kg, Type 2 is 20/kg. Mixed price is 16/kg.


Now find the ratio in which they are mixed.

Sol:



∴ 4:1

Silly if mixed price is 18/kg



∴ 2:3

Q1

P_1 P_2 P_3
 50% 60% 65%

$$\text{Overall \%} = \frac{50(1) + 60(2) + 65(2)}{1 + 2 + 2} = 60\%$$

Q2

P Q
 $x\%$ 90%

80%

4 3

$$\frac{90 - 80}{80 - x} = \frac{4}{3}$$

$$30 = 320 - 4x$$

$$x = \frac{290}{4} = 72.5$$

Q3

9-30 x

10

8 7

$$\frac{x - 10}{10 - 9 - 30} = \frac{8}{7}$$

$$7x - 70 = 0.56$$

$$7x = 70.56 \Rightarrow x = 10.08$$

Q4

$$153 = \frac{126(1) + 135(1) + x(2)}{4}$$

$$261 + 2x = 612$$

$$2x = 351$$

$$x = 175.5$$

Q5

-5 10
 7
3 12

$1:4$
 $\therefore 40 \text{ kgs \& } 10 \text{ kgs}$

Q6

~~8~~ ~~8~~
9 7
 8.4
x : 27

$$\frac{9-8.4}{8.4-7} = \frac{27}{x}$$

$$x(0.6) = 27(1.4)$$

$$x\left(\frac{3}{5}\right) = 27\left(\frac{7}{5}\right)$$

$$x = 63 \text{ kgs}$$

$$SP = 110 \cdot CP$$

$$CP = \frac{100}{110} (9.24)$$

$$CP = 10(0.84) = 8.4$$

Q7

A	B		
60	100		
3:2	1:4		
36 24	20 80		
(lead) (tin)	(tin) (Cu)		

$$\therefore 20 + 24 = 44$$

A	B		
3:2	1:4		
36 24			

★
★ Q8 ★
★

$$CP = \frac{100}{120} (SP) = \frac{100}{120} (96) = 80$$

$\frac{T_1}{T_2}$	$\frac{T_2}{T_3}$	$\frac{T_3}{T_1}$
60	75	100

80/kg

T_1	T_2	T_2	T_3	T_1	T_3
60	75	75	100	60	80 100
	80		80		80
	α	20	5	20	20
		4 : 1		1 : 1	

Avg must be b/w extremes

(Increase of joint ratio we dont add)

$T_1 : T_3 = 1 : 1$

$T_2 : T_3 = 4 : 1$

This mixed joint ratio but not joint ratio.

Here we add the common values i.e., T_3 in this case

$\therefore T_1 : T_2 : T_3 = 1 : 4 : (1+1)$
 $= 1 : 4 : 2$

★
 Eg : Mixed ratio.
 $a : b = 2 : 3$
 $b : c = 4 : 5$
 $a : b : c = 2 : (3+4) : 5$
 $= 2 : 7 : 5$

Q9

$\frac{A}{5 : 2}$ $\frac{B}{7 : 6}$

$C = A : B$
 1
 $8 : 5$

Consider only spirit

$\frac{A}{\frac{5}{7}}$ $\frac{B}{\frac{7}{13}}$

$\frac{8}{13} - \frac{7}{13} : \frac{5}{7} - \frac{8}{13}$

$\frac{\frac{1}{13}}{\frac{5}{7} - \frac{8}{13}} = \frac{\frac{1}{13}}{\frac{65 - 56}{91}} = \frac{7}{9}$

Method 2:

$$\frac{A}{\frac{5}{7}, \frac{2}{7}}$$

$$\frac{B}{\frac{7}{13}, \frac{6}{13}}$$

$$C-x=y$$

$$\frac{\frac{5}{7}x + \frac{7}{13}y}{\frac{2}{7}x + \frac{6}{13}y} = \frac{8}{5} \Rightarrow \frac{65x + 49y}{26x + 42y} = \frac{8}{5}$$

$$\Rightarrow 325x + 245y = 208x + 336y$$

$$\Rightarrow 117x = 91y$$

$$\Rightarrow \frac{x}{y} = \frac{7}{9}$$

Q.10

Can 1

Can 2

$$25\% \text{ } 75\% \\ 1:3$$

$$50\% \text{ } 50\% \\ 1:1$$

Can 3

$$w:M = 3:5$$

Consider water alone

Can 1

$$\frac{1}{4}$$

Can 2

$$\frac{1}{2}$$

$$\frac{3}{8}$$

$$\frac{3}{2} - \frac{3}{8} = \frac{1}{8}$$

$$\frac{3}{8} - \frac{1}{4} = \frac{1}{8}$$

$$\therefore 1:1$$

\therefore 6 lit from Can 1 & 6 lit from Can 2

Q11

gold 1 gold 2
 $\frac{7}{9}, \frac{2}{9}$ $\frac{13}{16}, \frac{3}{16}$

3 : 4

$$\text{i.e., } \frac{\frac{7}{9}(3) + \frac{13}{16}(4)}{\frac{2}{9}(3) + \frac{3}{16}(4)} = \frac{\frac{287}{36}}{\frac{8+27}{36}} = \frac{146}{35}$$

$$\frac{\frac{28+29}{12}}{\frac{8+9}{12}} = \frac{67}{17}$$

∴ 67 : 17

Q12

A B
 $\frac{2}{5}, \frac{3}{5}$ $\frac{3}{10}, \frac{7}{10}$

1 : 1

$$\frac{\frac{2}{5} + \frac{3}{10}}{\frac{3}{5} + \frac{7}{10}} = \frac{4+3}{6+7} = \frac{7}{13}$$

Remove & Replacement Questions :

Q13

Step 1 :

$$\begin{array}{l} \text{Spirit: 200} \xrightarrow{-20 \text{ lit}} \begin{array}{l} S \\ 180 \end{array} \xrightarrow{+20} \begin{array}{l} S \rightarrow 180 \\ W \rightarrow 20 \\ \hline 200 \end{array} \end{array}$$

Step 2 :

$$\begin{array}{l} S > 180 \\ W : 20 \end{array} \xrightarrow{-20 \text{ lit}} \left. \begin{array}{l} S^1 = 180 \left(1 - \frac{20}{200}\right) = 180 \times \frac{9}{10} = 162 \\ W^1 = 20 \left(1 - \frac{20}{200}\right) = 20 \times \frac{9}{10} = 18 \end{array} \right\} +20W \left\{ \begin{array}{l} S = 162 \\ W = 38 \end{array} \right.$$

Step 3

$$S = 162 \xrightarrow{-20\% \text{ lit}} S'' = 162 \left(1 - \frac{20}{100}\right) = 162 \times \frac{9}{10} = 145.8$$
$$W = 38 \xrightarrow{+20} W'' = 38 \left(1 + \frac{20}{100}\right) = 38 \times \frac{120}{100} = 45.6$$

$S : 145.8$
 $W : 45.6$

$$\% \text{ spirit} = \frac{145.8}{200} \times 100 = 72.9\%$$

Shortcut:

spirit left

$$= 200 \left(1 - \frac{20}{100}\right) \left(1 - \frac{20}{100}\right) \left(1 - \frac{20}{100}\right)$$

180
162
145.8

~~200~~ i.e., $200 \left(\frac{9}{10}\right)^3$

Ex: If removal & replacement is ~~as~~ as shown below, then find amount of spirit left

~~SPR~~

$$\text{spirit } 200 \xrightarrow{-20S, +10W} \textcircled{1} \xrightarrow{-30S, +20W} \textcircled{2} \xrightarrow{-40S, +40W} \textcircled{3}$$

$$\text{spirit left} = 200 \left(1 - \frac{20}{100}\right) \left(1 - \frac{30}{190}\right) \left(1 - \frac{40}{180}\right)$$

↑
caz we add only
col back

$$\text{spirit left} = 200 \left(\frac{9}{10}\right) \left(\frac{16}{19}\right) \left(\frac{14}{18}\right)$$

$$\text{water left} = \text{total} - \text{spirit left}$$

Q.14

20 lit
 M W
 12.5 7.5
 -4 (2.5, 1.5)
 i.e., 10, 6
 +4 M
 14, 6
 i.e., 7:3

Method 2

$$\text{water left} = 20 \times \frac{3}{8} \left(1 - \frac{4}{20}\right)$$

$$= \frac{20}{20} \times 3 \times \frac{4}{5} = 6 \text{ lit}$$

$$\therefore \text{Milk left} = 20 - 4 - 6 = 10$$

$$10:6$$

$$14:6$$

$$7:3$$

Method 3:

20
 -4 lit
 16 lit left

however the ratio in which we have milk & water won't be disturbed.

16
 M W
 10 6
 5:3
 +4 M
 ⇒ 14 M 6 W
 i.e., 7:3

Q.15

total = x lit

$$\text{milk remaining} = x \left(1 - \frac{4}{x}\right)^4$$

$$\Rightarrow \text{water} = x - x \left(1 - \frac{4}{x}\right)^4$$

$$\frac{\text{Milk}}{\text{water}} = \frac{x \left(1 - \frac{4}{x}\right)^4}{x - x \left(1 - \frac{4}{x}\right)^4} = \frac{\left(\frac{x-4}{x}\right)^4}{1 - \left(\frac{x-4}{x}\right)^4}$$

$$= \frac{(x-4)^4}{x^4 - (x-4)^4} = \frac{16}{65}$$

$$\Rightarrow 65(x-4)^4 = 16x^4 - 16(x-4)^4$$

$$\Rightarrow 16x^4 = 81(x-4)^4$$

$$\Rightarrow (2x)^4 = [3(x-4)]^4$$

$$\Rightarrow 2x = 3x - 12$$

$$\Rightarrow x = 12$$

Method 2

$$\text{Milk left} = x \left(1 - \frac{4}{x}\right)^4$$

$$\text{Milk : water} = 16 : 65$$

$$\Rightarrow \frac{\text{milk}}{\text{total}} = \frac{16}{81} = \frac{x \left(1 - \frac{4}{x}\right)^4}{x}$$

$$\Rightarrow \left(\frac{x-4}{x}\right)^4 = \frac{16}{81}$$

$$\Rightarrow \frac{x-4}{x} = \frac{2}{3}$$

$$\Rightarrow 3x - 12 = 2x \Rightarrow x = 12$$

07/08/20
day 6

(P06) IF $f(f(n)) + f(n) = 2n + 3$, $f(0) = 1$ Find $f(2012)$.

Sol:

$n=0$

$$f(f(0)) + f(0) = 2(0) + 3$$

$$f(1) = 2$$

$n=1$

$$f(f(1)) + f(1) = 2(1) + 3$$

$$f(2) = 2 + 3 - 2 \Rightarrow f(2) = 3,$$

$n=2$

$$f(f(2)) + f(2) = 2(2) + 3$$

$$f(3) = 4$$

$$n=3$$

$$f(4) + 4 = 2(3) + 3$$

$$f(4) = 5$$

$$n=4$$

$$f(5) + 5 = 8 + 3$$

$$f(5) = 6$$

$$\text{silly } f(2012) = 2013$$

Percentages:

Percentage Comparison

A is 20% higher than B then B is _____ % less than A

$$A = 120\% \cdot B = \frac{120}{100} B$$

$$\Rightarrow B = \frac{5}{6} A$$

$$B = \left(1 - \frac{1}{6}\right) A$$

$$\text{i.e. } \frac{1}{6} \times 100 = 16\frac{2}{3}\%$$

shortcut:

$$\boxed{\frac{x}{y} \uparrow \Rightarrow \frac{x}{x+y} \downarrow}$$

(Q1)

$$n_1 = 85\% \cdot (n_3) \quad n_2 = 80\% \cdot (n_3)$$

$$\frac{n_1}{n_2} = \frac{85}{80}$$


$$\Rightarrow n_1 = \frac{85}{80} n_2$$

$$\Rightarrow \frac{85}{80} \times 100 = 106.25\%$$

Q2 say $n=100$




80 came to party



$\therefore 40M$ attended

$\therefore 1:1$ ratio

Q3





$$1 \cdot (300) = 3 \quad 2 \cdot (100) = 2$$

$$\frac{5}{400} \times 100 = 1.25\%$$

Method 2:

$$\frac{3\left(\frac{1}{100}\right) + 1\left(\frac{2}{100}\right)}{3+1} = 1.25\%$$

Q4



P-49 Q-5

$$51 - 49 = 2 \text{ votes}$$

100 — 2
? — 6

$\therefore \phi 300$

$$15 \cdot (40) = 6$$

$$25 \cdot (60) = 15$$

Q5

$$\left(\frac{50}{100}\right) \left(\frac{70}{100}\right) = \frac{35}{100} \text{ i.e., } 35\%$$

↑ infected
↓ no symptoms

Q6 $43 + 17 + 12 + 3 = 75\%$ delayed

$\therefore 25\%$ on time

~~$\frac{25}{100} \times 1200 = 300$~~

$75 - 1200$

$25 - ?$

$\frac{1200}{75} \times 25 = 400$

Q7

$7\% - 6\% \rightarrow 80$

$1\% \rightarrow 80$

$\Rightarrow 100\% \rightarrow 8000$

Q8

1400 M

Mobile $\rightarrow 70\% (1400 M)$

980 M

294 M access internet

$\frac{1}{2} (294 M) = 147 M$ by buyers

$\therefore \frac{147}{1400} \times 100 = 10.5\%$

Q9

$45\% - 22\% \rightarrow 40 + 52$

$23\% \rightarrow 92$

$\Rightarrow 1\% \rightarrow 4$

$\Rightarrow 100\% \rightarrow 400$

Q10

$x + y = 95 \Rightarrow x = 95 - y \Rightarrow y = 95 - x$

$0.9x + 1.2y = 90$

$0.9x + 1.2(95 - x) = 90$

$0.9x + 114 - 1.2x = 90$

$0.3x = 24 \Rightarrow x = \frac{240}{3} = 80$

Q11

enrolled members - n

$$\text{casted members} - \frac{90}{100} n$$

$$\text{valid votes} - \left(1 - \frac{10}{100}\right) \frac{90}{100} n = \frac{90}{100} \frac{90}{100} n$$

~~won by 54%~~ $\Rightarrow 1620$

$54\% \Rightarrow$ won by 1620


$$\text{voter, } 54\% - 46\% = 1620$$

$$8\% = 1620$$

$$\Rightarrow \frac{8}{100} \frac{90}{100} \frac{90}{100} n = 1620$$

$$\Rightarrow n = 25000$$

Method 2:




$$\Rightarrow 8\% (81) = 6.49$$

$$100 - 6.49$$

$$\downarrow \leftarrow 1620$$

$$\frac{100}{6.49} \times 1620 = 25000$$

★ Q12 ★




$$\text{error} = 500 - 20 = 480$$


$$\% = \frac{480}{500} \times 100 = 96\%$$

$$\text{error \%} = \frac{\text{change}}{\text{corret val}} \times 100$$

Q13



$$30\% \cdot (80) = 24$$



% change in saving = $\frac{20-16}{20} \times 100 = 20\%$ fall.

Q14

$$V = \frac{1}{3} \pi r^2 h$$


$$= \frac{1}{3} \pi \left(\frac{110}{100}\right)^2 r^2 \frac{110}{100} h$$

$$= \frac{1}{3} \pi r^2 h \left(\frac{1331}{1000}\right)$$

$$= V + \frac{331}{100} V$$

$\Rightarrow 33.1\% \uparrow$

Method 2:



$\Rightarrow 331$ raise

i.e., $33.1\% \uparrow$

Q.15

2015	2016
GDP - 100	GDP - 110
FD - 4	FD - 5.5

$$\text{FD \% change} = \frac{1.5}{4} \times 100 = 37.5\%$$

Q.16

2001	2001
Population of X - n_1	$X - \left(1 + \frac{x}{100}\right)n_1$
Population of Y - n_2	$Y - \left(1 + \frac{y}{100}\right)n_2$
$P_1 = \frac{n_1}{n_2}$	$P_2 = \frac{\left(1 + \frac{x}{100}\right)n_1}{\left(1 + \frac{y}{100}\right)n_2}$

$$\begin{aligned} \Rightarrow \text{\% change of } P &= \frac{P_2 - P_1}{P_1} \times 100 \\ &= \frac{\frac{100+x}{100} \cdot n_1}{\frac{100+y}{100} \cdot n_2} - \frac{n_1}{n_2} \times 100 \\ &= \frac{100+x}{100+y} - 1 \times 100 \Rightarrow \left(\frac{100+x}{100+y} - 1\right) 100 \\ &\Rightarrow \frac{(x-y) 100}{100+y} \end{aligned}$$

Q.17

$$A = \frac{360}{300}$$

$$A = \frac{90}{100} \Rightarrow B = \frac{10}{9} \times 360 = 400$$

$$B = \frac{125}{100} \Rightarrow C = \frac{100}{125} \left(\frac{80}{100}\right) = 320$$

$$C = \frac{80}{100} \Rightarrow D = \frac{10}{8} (320) = 400$$

$$D \% = \frac{400}{500} \times 100 = 80\%$$

09/08/20
day 7

(P07)

Simplify

$$\frac{77!(77! - 2 \cdot 54!)^3}{(77! + 54!)^3} + \frac{54! \cdot (2 \cdot 77! - 54!)^3}{(77! + 54!)^3}$$

- a) $2 \cdot 77! + 2 \cdot 54!$ b) $77! - 54!$
c) $77! + 54!$ d) $2 \cdot 77! - 2 \cdot 54!$

sol:

The exp is of form

$$\frac{a(a-2b)^3}{(a+b)^3} + \frac{b(2a-b)^3}{(a+b)^3}$$

put $a=4, b=1$

$$\frac{4(4-2)^3}{(4+1)^3} + \frac{1(8-1)^3}{(4+1)^3} = \frac{32+243}{125} = \frac{375}{125} = 3$$

option verify e

- a) $2a+2b = 2(4)+2(1) = 10 \neq 3$
b) $a-b = 4-1 = 3$ ✓
c) $a+b = 4+1 = 5$
d) $2a-2b = 8-2 = 6$

∴ opt (b)

(Q1)

$$1000 \left(\frac{110}{100} \right) \left(\frac{80}{100} \right) \left(\frac{130}{100} \right)$$


$$(980)(130) = 114400$$

(Q2)

100
20 E 50 - (80) = 40 H 40 Other language

$$\begin{array}{r} 40 - 900 \\ 225 \quad 100 - ? \\ \hline 900 \\ 400 \times 100 = 2250 \end{array}$$

Q3




$$\begin{aligned}
 \text{remaining} &= 100 - 30 - 28 \\
 &= 42
 \end{aligned}$$

$$\text{Selling} = 50\% \cdot (42) = 21\%$$

$$\therefore \frac{21}{100} \times 18400 = \cancel{3684} \quad 3864$$

Q4



$$100 - 10 - 13.5 - 7.65 = 68.85$$

$$68.85 \text{ --- } 1377$$

$$100 \text{ --- } ?$$

$$\frac{1377}{68.85} \times 100 = 2000$$

Q5

~~P~~ (Price) (con) $\rightarrow x$

$$P_1 C_1 = x$$

$$\frac{125}{100} P_2 C_2 = x$$

$$\frac{125}{100} P_1 C_2 = P_1 C_1$$

$$C_2 = \frac{100}{125} C_1$$

$$C_2 = \frac{4}{5} C_1 \Rightarrow C_2 = (1 - \frac{1}{5}) C_1$$

$\therefore C_2$ must decrease by 20%

Method 2:

$$P \uparrow 25\% \Rightarrow E \uparrow 25\%$$

$$\text{Now } C \downarrow = ?\% \quad \frac{1}{4} \uparrow \Rightarrow \frac{1}{1+4} \downarrow \Rightarrow \frac{1}{5} \downarrow$$

$\therefore C \downarrow 20\%$

(Q6) $\frac{6}{10} \uparrow \Rightarrow \frac{6}{6+10} \downarrow \Rightarrow \frac{6}{16} \downarrow \Rightarrow \frac{3}{8} \downarrow$
 $\frac{3}{8} \times 100 = 37.5\% \downarrow$

(Q7) $n_1, c_1 \mid n_1+3, 0.9c_1$
 $n_1 c_1 = 225 \quad (n_1+3)(0.9c_1) = 225$
 $\Rightarrow n_1 c_1 = 0.9n_1 c_1 + 2.7c_1$
 $\Rightarrow 0.1 n_1 c_1 = 2.7c_1$
 $\Rightarrow n_1 = 27$
 $\Rightarrow n_1+3 = 30$
 reduced price = $\frac{225}{30} = 7.5$

$x(0.1)c = 3(0.9)c$
 $\Rightarrow x = 27$

$c, x \mid 0.9c, x+3$

Method 2:


we can directly for an equation
 if n_1 is no of kgs purchased before cost reduction
 since each kg is reduced by $0.1c_1$, we got a chance to
 by 3 kg more kgs at reduced price

$n_1(0.1c_1) = 3(0.9c_1)$
 $\Rightarrow n_1 = 27 \Rightarrow n_2 = 30$
 $\Rightarrow c_2 = \frac{225}{30} = 7.5$

Method 3:

Initial ~~cost~~ cost = 225
 $\frac{-10\%}{22.5} \rightarrow$ Now for this we are getting 3kgs
 \Rightarrow reduced price = $\frac{22.5}{3} = 7.5$

Q8



$$1:2 \Rightarrow$$

$$\Rightarrow \frac{40}{x} = \frac{1}{2}$$

$$x = 80$$

~~$$80 - 40 = 40 \text{ lit}$$~~

$$80 - 20 = 60 \text{ lit}$$


Q9

$$\frac{36}{x} \times 100 = 80$$

$$\Rightarrow x = \frac{36}{\frac{80}{100}} = 45$$

$$\Rightarrow \text{water} = 45 - 36 = 9 \text{ lit}$$

Q10



$$80\% - W \quad 20\% - B$$

$$\frac{80}{20} = \frac{4}{1}$$

$$\Rightarrow \frac{36}{B} = \frac{4}{1} \Rightarrow B = 9$$

$$\text{req blue paint} = 9 - 4 = 5 \text{ lit}$$

Ratio, Proportion & Variations:

$$* \frac{1}{3} : \frac{1}{4} : \frac{1}{6} = \frac{12}{3} : \frac{12}{4} : \frac{12}{6} = 4 : 3 : 2$$

Q11

$$\text{Correct} \Rightarrow 4:3:2 = \cancel{36} 52, 39, \textcircled{26}$$

$$\text{Wrong} \Rightarrow \frac{1}{4} : \frac{1}{3} : \frac{1}{2} = \frac{12}{4} : \frac{12}{3} : \frac{12}{2} = 3:4:6$$

$$\Rightarrow 27:36:\textcircled{54}$$

$$\Rightarrow 54 - 26 = 28$$

Q12

total = 70

a) 1:4 \Rightarrow ~~1+4=5~~, 5/70 \checkmark

b) 4:3, \Rightarrow 4+3=7, 7/70 \checkmark

c) 1:6 \Rightarrow 1+6=7, 7/70 \checkmark

d) 1:3 \Rightarrow 1+3=4 and ~~4~~ = 4/70

\therefore opt (d)

Q13

5 : 7 : 8

+40% +50% +75%
 \downarrow \downarrow \downarrow
 7 : 10 : 14

\Rightarrow 14 : 21 : 28

\Rightarrow 2 : 3 : 4

Joint ratio

Q14

A : B =

Joint Ratio :

If we are given A:B, B:C & C:D then

\rightarrow ~~A:B~~ A:D = $\frac{A}{D} = \frac{A}{B} \times \frac{B}{C} \times \frac{C}{D}$

Q14

A : B = 2 : 3

B : C = 4 : 5

C : D = 6 : 7

wkt $\frac{A}{D} = \frac{A \times B}{B \times C} \times \frac{C}{D} = \frac{2 \times 4 \times 6}{3 \times 5 \times 7}$

A : D
 2 : 3
 4 : 5
 6 : 7

A : B : C : D = $\frac{2 \times 4 \times 6}{3 \times 5 \times 7} = \frac{2 \times 4 \times 6}{3 \times 5 \times 7} = \frac{48}{105} = 16 : 24 : 30 : 35$


Method 2:

$$A:B = 2:3$$

$$B:C = 4:5$$

$$C:D = 6:7$$

$$A:B:C:D = 2 \times 4 \times 6 : 3 \times 4 \times 6 : 3 \times 5 \times 6 : 3 \times 5 \times 7$$



Method 3:

very verify which option has

$$A:B = 2:3$$

i.e., only opt (B)

Q.15 Assume we have 'n' coins

$$\Rightarrow \frac{25n}{6} + \frac{10(2n)}{6} + \frac{5(3n)}{6} = 30 \times 100$$

$$\Rightarrow 25n + 20n + 15n = 18000$$

$$\Rightarrow n = \frac{18000}{60}$$

$$n = 300$$

$$5 \text{ paise} \Rightarrow 300 \left(\frac{3}{6} \right) = 150$$

Q16

Income - I Expense = E, Saving = S

$I_1 : I_2 = 9 : 7 \Rightarrow I_1 = \frac{9}{16} I, I_2 = \frac{7}{16} I$

$E_1 : E_2 = 4 : 3 \Rightarrow E_1 = \frac{4}{7} E, E_2 = \frac{3}{7} E$

$S_1 = \frac{9}{16} I - \frac{4}{7} E = 2000$

$S_2 = \frac{7}{16} I - \frac{3}{7} E = 2000$

$S_1 = S_2$

$\Rightarrow \frac{9}{16} I - \frac{4}{7} E = \frac{7}{16} I - \frac{3}{7} E$

$\frac{2}{16} I = \frac{1}{7} E$

$\frac{I}{E} = \frac{8}{7}$

Q16

$A_I : B_I = 9 : 7$

$A_I = 9x, B_I = 7x$

$A_E : B_E = 4 : 3$

$A_E = 4y, B_E = 3y$

$\Rightarrow A_S = A_I - A_E \Rightarrow 2000 = 9x - 4y$





$B_S = B_I - B_E \Rightarrow 2000 = 7x - 3y$

$\Rightarrow y = 2x$

$\Rightarrow x = 2000, y = 4000$

$\Rightarrow 9x = 18000, 7x = 14000$

Q17



$\Rightarrow 10 : 30 = 1 : 3$

Q18

$$2430 = A + B + C$$

$$(A-5) : (B-10) : (C-15) = 3 : 4 : 5$$

$$3x \quad 4x \quad 5x$$

$$A-5=3x \Rightarrow A=3x+5$$

$$\Rightarrow B=4x+10$$

$$\Rightarrow C=5x+15$$

$$\Rightarrow A+B+C=2430$$

$$\Rightarrow 12x+30=2430$$

$$\Rightarrow x=200$$

$$\Rightarrow A's \text{ Share} = 3x+5 = 605$$

$$A-5=3x$$

$$\Rightarrow A=3x+5$$

Proportions:

$\rightarrow a, b, c$ are in proportion

Mean proportion

$$\Rightarrow \frac{a}{b} = \frac{b}{c} \Leftrightarrow b^2 = ac$$

\rightarrow if a, b, c, d are in proportion

Extremes

$$\frac{a}{b} = \frac{c}{d} \Leftrightarrow ad = bc$$

i.e., product of extremes = product of means

Q19

$$12, 30, x$$

$$9, y, 25$$

$$\Rightarrow \frac{x}{y} = ?$$

$$30^2 = 12x \Rightarrow x = \frac{30 \times 30}{12}$$

$$y^2 = 9 \times 25 \Rightarrow y = 3 \times 5 = 15$$

$$\Rightarrow \frac{x}{y} = \frac{30 \times 30}{12 \times 15} = 5 : 1$$

Variations

$$T \propto \frac{1}{S}$$

Time inversly varies with speed

$$D \propto S$$

distance directly varies with speed

* Area of square directly varies with square of size.

Joint variation:

$$y = ax + b$$

$$y = ax^2 + bx + c$$

Here y is partially constant and partially varies with x.

(20)

$$P+3 \propto \frac{1}{\sqrt{Q}}$$

$$\Rightarrow P+3 = \frac{k}{\sqrt{Q}}$$

$$P = -2, Q = 4$$

$$-2+3 = \frac{k}{\sqrt{4}}$$

$$\Rightarrow k = \pm 2$$

$$P+3 = \frac{\pm 2}{\sqrt{Q}}$$

$$\Rightarrow P+3 = \frac{\pm 2}{\sqrt{9}}$$

$$\Rightarrow P+3 = \frac{\pm 2}{3}$$

$$P = \frac{2}{3} - 3$$


$$P = \frac{-2}{3} - 3$$

$$P = \frac{-7}{3}$$

$$P = \frac{-11}{3}$$

(21)

Let weight be 100 → 675000



Q.21) Let weight = w

$$\text{Cost} = C$$

$$C \propto w^2$$

$$C = kw^2$$

$$675000 = kw^2 \Rightarrow k = \frac{675000}{w^2}$$

$$4 : 5 : 6$$

$$\frac{4}{15}w, \frac{5}{15}w, \frac{6}{15}w$$

$$C_1 \quad C_2 \quad C_3$$

$$C_1 = k \left(\frac{4}{15}\right)^2 w^2 \quad C_2 = k \left(\frac{5}{15}\right)^2 w^2 \quad C_3 = k \left(\frac{6}{15}\right)^2 w^2$$

$C_1 = \frac{675000}{w^2} \left(\frac{4}{15}\right)^2 w^2$	$C_2 = 67500 \left(\frac{5}{15}\right)^2$	$C_3 = 45000(6)$
$C_1 = 45000(4)$	$C_2 = 45000(5)$	$C_3 = 270000$
$= 180000$	$= 225000$	$= 270000$

$$\Rightarrow C_1 + C_2 + C_3 =$$

$$C_1 = \frac{675000}{w^2} \left(\frac{16}{225}\right) w^2 \quad C_2 = \frac{675000}{w^2} \frac{25}{225} w^2 \quad C_3 = \frac{675000}{w^2} \frac{36}{225} w^2$$

$$\Rightarrow C_1 + C_2 + C_3 = \frac{3000}{225} (77)$$

$$= 231000$$

$$\therefore \text{loss} = 675000 - 231000$$

$$= 444000$$

11/08/20 (PUB)

A drinks machine offers three solutions tea, coffee or one of the two at random but the machine has been wired

up wrongly so that each button does not give what it claims.

If each drink cost, Rs.50 what is the minimum amount of money

that must be spent to determine with certainty the correct labeling

of the button?

- a) Rs. 100 b) Rs. 50 c) Rs. 150 d) Can't be determined

Sol:

Let the labels be

(C) (T) (C/T)

Every label shown above is wrong.

we first try (C/T)

if we get coffee then it is (C)

if we get Tea then it is (T)

let us assume we got coffee

then the (C) button must be Tea

and hence (T) button must be coffee/Tea button.

\therefore Rs. 50

~~Q1~~ There are ~~2~~ ~~boxes~~ ~~one~~ ~~is~~

Data Interpretation:

Q1

$$100\% \text{ --- } 360^\circ$$

$$40\% \text{ --- } ?$$

$$\frac{360}{100} \times 40 = 144^\circ$$

Q2

$$\text{Elegance} = (27300 + 25222 + 28976 + 21012) \times 48$$

$$\text{Smooth} = (20009 + 19392 + 22429 + 18229) \times 63$$

$$\text{Soft} = (17602 + 18445 + 19544 + 16545) \times 78$$

$$\text{Executive} = (9999 + 8942 + 10234 + 10109) \times 173$$

\therefore Execute

Q3

$$RM = \frac{1040}{5200} \times 100 = 20\%$$

$$PF = \frac{1450}{7000} \times 100 = 20\frac{5}{7}\%$$

$$SW = \frac{3600}{9000} \times 100 = 40\%$$

$$PM = \frac{5000}{20000} \times 100 = 25\%$$

$$Adver = \frac{4500}{15000} \times 100 = 30\%$$

$$R\&D = \frac{4400}{22000} \times 100 = 20\%$$

∴ opt (d)

Q4

$$\text{Prime} = 75 + 180 + 120 + 90 = 465 \$$$

$$\text{Mini} = 580$$

$$\text{fool} = 895$$

$$\text{Prime}\% = \frac{465}{465 + 580 + 895} \times 100$$

$$= \frac{465}{1940} \times 100 = 23.97\%$$

Q5

$$\frac{600}{9000} \times 100 \approx 86\%$$

Q6

	km	kwh	km	kwh	kwh/km
M	20	12	12 20	12	12/20
N	45	25	18 25	13	13/25
O	75	45	30 30	20	20/30
P	100	57	12 25	12	(12/25)

∴ at P

Q7

$$2008 - \frac{2.5}{1} \text{ i.e., } 5M, 2F$$

$$2009 - \frac{3}{1} \text{ i.e., } 3M, 1F$$

$$? \leftarrow 4F$$

$$\text{i.e., } 12M, 4F$$

$$5M \rightarrow 12M$$

$$\Rightarrow \frac{12-5}{5} \times 100 = \frac{7}{5} \times 100 = 140\%$$

Q8

$$\begin{array}{l} \underline{2011} \\ 100 : 100 \\ M \quad F \end{array}$$


$$\begin{array}{l} \underline{2012} \\ ? : 100 \end{array}$$

$$1:5:1$$

$$\therefore 150 : 100 \\ M \quad F$$

$$\text{req ratio} = \frac{150}{100} \text{ i.e., } 1.5:1$$

Q9



we need to check for 0.9 or any value greater than 0.8 because 0.8 is req to form curd, but not yet formed.

So for any val > 0.8 the time of 37°C is not half of time of 25°C .

\therefore (ii) is false

\therefore opt (a)

Q10

$$\begin{aligned} \text{Area} &= \frac{1}{2}(1)(1) + (1)(1) + (1)(1) + \frac{1}{2}(1)(1) + \frac{1}{2}(2)(1) + \frac{1}{2}(1)(1) + \frac{1}{2}(1)(1) \\ &= \frac{1}{2} + 1 + 1 + \frac{1}{2} + 1 + \frac{1}{2} + 1 \\ &= 5 \end{aligned}$$

Q11

P Q

2006: 800 900

2007: $\frac{800 \times 106}{100} = 848$ $\frac{900 \times 104}{100} = 936$

interest : $\frac{6}{100} \times 800$ $\frac{4}{100} \times 900$
 xciue

48 36

48:36 = 4:3

Q12

total rainfall = 300mm

50% (300mm) 50m²

= $\frac{1}{2} (300) (10^{-3}) \times 50 \text{ m}^3$

= $7500 \times 10^{-3} \text{ m}^3$

= 7500 litres

Q13

Enrolled in P = 23000

difference = 1+2+3+1+1 = 8000

$\therefore \frac{23000}{8000} = \frac{23}{8}$

Q14

$\frac{200 + 300 + 100 - 100}{2500 \times 5} \times 100 = \frac{+500}{2500} \times 100 = 20\% \text{ profit}$

Q15

let 100 be amount invest


	P	Q
2013	110	120
2014	120	130
2015	130	130
2016	140	150
2017	140	160
	<u>850</u>	<u>850</u>

P Q
 CP = $100 \times 6 = 600$ CP = $100 \times 6 = 600$
 Profit = 200 Profit = 250
 revenue = 800 revenue = 850
 $\therefore \frac{800}{850} = 16:17$

Q16

$$\frac{280 + 330 + 455 + 240}{500 + 606 + 700 + 400} = \frac{1305}{2200} \times 100 = 59.31\%$$

Q17



$$2003 - \frac{10}{60} = \frac{1}{6}$$

$$2006 - \frac{20}{100} = \frac{1}{5}$$

∴ 2006

Q18

$$2015 - \frac{R}{45} \quad \frac{E}{35}$$

$$2014 - 37.5 \quad 34.1$$

$$R_{2014} = \frac{100}{120} \times 45 = 37.5$$

$$E_{2014} = \frac{100}{110} \times 37.5 = \frac{375}{11} \approx 34.1$$

Q19

$$C_2(\text{beds}) = 8 \quad C_3(\text{tables}) = 8 \quad \checkmark$$

$$(2 + 10 + 5 + 2 + 4) < (9 + 2 + 8 + 3 + 10)$$

$$23 < 30 \quad \checkmark$$

∴ opt C

Q20

$$\text{Edu} - 15\% \quad \text{Trans} - 10\%$$

$$\frac{15 - 10}{10} \times 100 = 50\%$$

Q21

$$\text{total in arts} = 20\% (5000) = 1000$$

$$\text{total in Management} = 15\% (500) = 750$$

$$\text{girls in arts} = 30\% (1500) = 450 \Rightarrow \text{boy in arts} = 550$$

$$\text{girls in manage} = 15\% (150) = 225$$

bo

$$\therefore \frac{550}{225} = \frac{22}{9} \quad \therefore \text{opt B}$$

12/08/20
day 9

A and B have marble collections. The number in A's collection is a square number (1, 4, 9, 16, etc)

P19

A says to B, "If you give me all your marbles I'll still have a square number". B replies, "If you gave me the number in my collection, you would still be left with a square number".
What is least number of marbles A has?

Sol:

$$A = 25 \quad B = 24$$

(Trail & error method)

Q1

	<u>2010</u>	<u>2016</u>
total	600	690
P	120	120
Q	150	150
R	150	150
S	150	210
T	30	?

$$\therefore \underline{60}$$

Q2

a) item 2

$$\frac{20\% (250cr)}{20\% (5Lr)} \Rightarrow \frac{20\%}{20\%} = 1$$

b) $\frac{23}{19} \approx 1.2$

c) $\frac{19}{16}$

d) $\frac{20}{12} \approx 1.66$

\therefore opt (d)

Q3 $\frac{122}{11} = 4 \Rightarrow 4:1$

Q4 $\frac{30000}{450000} \times 100 = 3 \times 10^6$

profit = SP - CP

$10^6 = SP - 3 \times 10^6$

$\Rightarrow SP = 4 \times 10^6$

per 1 item $\Rightarrow SP = \frac{4 \times 10^6}{200} = 2 \times 10^4$


Q5

total % = $\frac{20(1.3) + 80(1.2)}{100} \times 100 = \frac{26 + 96}{100} \times 100 = 34.22$

i.e., 22% ↑

Q6

let 100 be total population



$60 - 46 = 14$

$\frac{14}{46} \times 100 = \frac{7}{23} \times 100 \approx 30.43$

Q11

from (ii) & (iii)

adjacent sides to 1 are 2, 4, 5, 6

∴ opposite face to 1 is 3

Q12

3 $\xrightarrow{\text{adj}}$ 1, 2, 4, 6

∴ 3 $\xrightarrow{\text{opp}}$ 5

Method 2:

fig a: 6, 3, 4

fig c: 6, 4, 5

If two faces are common then remaining must be opposite (think why)

∴ 3-5 ^{is} opposite pair

Q13
★

c $\xrightarrow{\text{adj}}$ a, b, e, f

∴ c $\xrightarrow{\text{opp}}$ d

Method 2:

c is common face

from c go either clockwise or ~~clockwise~~ anticlockwise

Clockwise

c a b
↓ ↓
c e f

a-e
b-f
c-?

∴ c-d

Anticlockwise

c b a
↓ ↓
c f e

a-e
b-f
c-?
c-d

we can take either clockwise or anticlockwise

Q14

from fig (i) & fig (ii)

1 $\xrightarrow{\text{adj}}$ 2, 3, 5, 6

\therefore 1 $\xrightarrow{\text{opp}}$ 4

Q15

from fig (iii) & fig (iv)

#	*	?	} 2 common face
#	*	@	

\therefore ? - @ is an opposite pair

from fig (i) & (ii)

- ! is an opposite pair

\therefore * - ^ must be an opposite pair

Method 2:

from (i) & (iv)

* - ^ is an opposite pair

Method 3:

In (i) & (iv)

only one face is common

clockwise from @

@	^	!
@	*	#

\therefore ^ - * is an opposite pair

Q16

from (i) & (iii)

51

\therefore opt (d)

Q17

Clockwise from 1:




∴ 6-4 is an oppo. pair

∴ opt (b)

Q18

from (i) & (ii)


Clockwise from 2:



∴ 6


Unfolded Die:

Top, bottom
Front, back
left, right



Note:
Row wise / Column wise alternate sides are opposite

Ex:




In the above fig, find opposite pairs.

∴


b-d	} alternate pairs
a-e	
c-f	

Ex:




$a-c$
 $d-f$ } alternate pairs
 $\Rightarrow b-e$

Ex:



$a-d$
 $c-e$ } alternate pairs
 $b-f$

Ex:



$a-c$
 $b-d$
 $e-f$

Q19

a) 3-6 (column wise alternate pairs)

b) 1-4
2-6

$\therefore 5-3$

Q20

X

2-4
1-6
5-3

a) 1 & 6 are adj

b) 3-5 are adj

c) 2-4 are adj

d) 1, 3, 4 ✓

\therefore opt (d)

Q21

i) & (ii)

Clock wise

$6-1$
 $6 \quad 4 \quad 2 \Rightarrow 4-3$
 $6 \quad 3 \quad 5 \quad 2-5$

only opt (C) satisfies the condition.

∴ opt (C)

Cubes:

No. of smaller cubes in a given cuboid = $\frac{\text{Vol of cuboid/cube}}{\text{Vol of cube}}$

Cube/Cuboid

* 8 corners, 12 edges, 6 faces

Thus if a cube or cuboid is divided into smaller cubes

→ no. of cubes with 3 faces painted = 8

→ no. of cubes with 2 faces painted = $12(n-2)$
n is no. of cubes in one line of face

~~however~~ However if it is cuboid we have

$$4(l-2) + 4(b-2) + 4(h-2)$$

→ no. of cubes with 1 face painted = $6(n-2)^2$

for ~~cuboid~~, $2(l-2)^2 + 2(b-2)^2 + 2(h-2)^2$

for cuboid

$$2(l-2)(h-2) + 2(b-2)(h-2) + 2(l-2)(b-2)$$

→ no. of cubes with no face painted

$$= (l-2)(b-2)(h-2)$$

for cube, $(n-2)^3$

} we remove all outer layers.

	<u>Painted no of faces</u>	<u>Cube</u>	<u>Cuboid</u>
(i)	3	8	8
(ii)	2	$12(n-2)^2$	$4(l-2) + 4(b-2) + 4(h-2)$
(iii)	1	$6(n-2)^2$	$2[(l-2)(b-2) + (b-2)(h-2) + (h-2)(l-2)]$
(iv)	0	$(n-2)^3$	$(l-2)(b-2)(h-2)$
(v)	> 3	0	

Q22 (i) 64 smaller cubes
 $\Rightarrow n=4$
 $(\because n^3 = 64)$
 no face painted = $(n-2)^3$
 $= (4-2)^3 = 8$

(ii) 1 face painted
 $6(n-2)^2 = 6(4-2)^2 = 24$

Q23 2 faces painted
 $12(n-2) = 12(4-2) = 24$

Q24 Q1. 3 faces painted \Rightarrow 8 cubes
 Q2. 1 face painted $\Rightarrow 2[(l-2)(b-2) + (b-2)(h-2) + (h-2)(l-2)]$
 $= 2[(3)(2) + (2)(1) + (1)(3)]$
 $= 2[6+2+3] = 22$

Day 10


Seating Arrangement: (Analytical Reasoning)

Linear Arrangement:


single row 

parallel row

facing away opposite to from each other




facing towards each other




} By default if not mentioned we consider facing towards each other.

Square Arrangement:


4 people




8 people



Circle arrangement:



Hexagonal Arrangement:



Q1

$$\left. \begin{aligned} \text{Manu} &= 2 + \text{Sraavan} \\ \text{Sraavan} &= \text{Trideep} - 3 \end{aligned} \right\} \Rightarrow \text{Trideep} = \text{Manu} + 1$$

$$\text{Pavan} = 1 + \text{Sraavan}$$


∴ Trideep is the oldest

Q2

V W
 X Z V } X Z V W }
 W Y


∴ V is in the middle

Q3




G is 3rd from north end

∴ G must change with C from North



Q4



Q5


S Q R P T Girls ↓
 C F A D B E Boys ↑

CFA

opt (d)


in opt (d) D-U face each other
 in other option it is different.

Q6




∴ S-M
R-A
∴ opt (c)

Q7





∴ X

Q8



∴ opt (c)


Q9



from 2 & 3
no. here no place we can place R

In question it asked which must be true
So opt (a)
c & d can be true but not must

Method 2 :




→ first place R, U, T

→ next we have only one opposite pair so fill it with Slw

hence P & Q can't be opposite no matter where we place them

Q10



1 = S

2 = P


Q11

	A	B	C	D	E	F
Compul	history	history	history	english	Phy	Maths
optional	english	chemistry	Math	History	Math	phy


D is female teachers

∴ History is the compulsory subject of C

Q12



Q12



Sci, Eng

Sci, Eng

∴ Economics

Q.13

top

- 1 - poetry
- 2 - plays
- 3 - poetry
- 4 - composition
- 5 - plays
- 6 - plays
- 7 - composition
- 8 - literature

bottom

∴ Composition is 4th

Q.14

From option verification

opt (b)

RSPTQ

Q.15

~~Pavithra~~ Pavithra's brother →

shiva > leela > Pavithra

∴ opt (d)

Q.16


G > R
 G > L
 L > S
 M > G

} M > G > L > S
 M > G > R

- 1. ~~Can't determine~~
- 2. ~~Can't determine~~ ✓
- 3. Can't determine
- 4. ✓

∴ 2 & 4

Q17



2nd from right = 7

Day 11

PU 20

If $f(x) = 2x^7 + 3x - 5$, which of the following is a factor of $f(x)$?

a) $x^3 + 8$

b) $x - 1$

c) $2x - 5$

d) $x + 1$

sol:

a) $x^3 + 8 = 0 \Rightarrow x = -2$

$2(-2)^7 + 3(-2) - 5 \neq 0$

b) $x - 1 = 0 \Rightarrow x = 1$

$2(1) + 3(1) - 5 = 0$

c) $2x - 5 = 0 \Rightarrow x = 5/2$

$2(5/2)^7 + 3(5/2) - 5 \neq 0$

d) $x + 1 = 0 \Rightarrow x = -1$

$2(-1)^7 + 3(-1) - 5$

$= -2 - 3 - 5 \neq 0$

∴ opt (b)

Time & Work

$$\text{Time} = \frac{\text{work}}{\text{efficiency}} \text{ or } \text{capacity}$$

Q1
1000

$$\begin{aligned} 32 \text{ in } 8 &\Rightarrow 4/\text{hr} \\ 40 \text{ in } 5 &\Rightarrow 8/\text{hr} \end{aligned} \left. \vphantom{\begin{aligned} 32 \text{ in } 8 \\ 40 \text{ in } 5 \end{aligned}} \right\} 12/\text{hr}$$

$$\begin{aligned} & \text{ } 1 \text{ hr} \text{ --- } 12 \\ & \text{ ? } \text{ --- } 120 \\ \therefore & \underline{10 \text{ hrs}} \end{aligned}$$

Q2
1000

$$\begin{aligned} A &: 100 \text{ in } 5 \text{ hrs} \Rightarrow 20/\text{hr} \\ B &: x/\text{hr} \end{aligned}$$

$$A \& B: 100 \text{ per } 4 \text{ hrs} \Rightarrow 25/\text{hr}$$

$$\begin{aligned} 20 + x &= 25 \\ \Rightarrow x &= 5 \end{aligned}$$

$$\therefore \text{ for } 20 \text{ pages, } \frac{20}{5} = 4 \text{ hrs}$$

Q3

$$\begin{aligned} A &- 10 \text{ days} \\ B &- 15 \text{ days} \\ C &- 12 \text{ days} \end{aligned}$$

$$A + B + C - ?$$

$$\begin{aligned} \text{work done per day by } A &= \frac{1}{10} \\ \text{ " " " " " } B &= \frac{1}{15} \\ \text{ " " " " " } C &= \frac{1}{12} \end{aligned}$$

$$A + B + C = \frac{1}{10} + \frac{1}{15} + \frac{1}{12} = \frac{12+8+10}{120} = \frac{30}{120} = \frac{1}{4}$$

$$1 \text{ day} \rightarrow \frac{1}{4} \text{ work} \Rightarrow 4 \text{ days} \rightarrow \text{total work} \therefore 4 \text{ days}$$

Q4

work done by A per day = $\frac{1}{15}$

" " B " " = $\frac{2}{50} = \frac{1}{25}$

" " " A+B " " = $\frac{1}{15} + \frac{1}{25} = \frac{5+3}{75} = \frac{8}{75}$

time for total work = $\frac{1}{\frac{8}{75}} = \frac{75}{8} = 9 \frac{3}{8}$ days

Q5

work done by P per hr = $\frac{1}{12 \times 8} = \frac{1}{96}$

" " " Q " " = $\frac{1}{10 \times 8} = \frac{1}{80}$

" " " P&Q " " = $\frac{1}{80} + \frac{1}{96}$

work done by P&Q per day working 8 hrs per day = $8 \left(\frac{1}{80} + \frac{1}{96} \right) = \frac{1}{10} + \frac{1}{12}$

total time req = $\frac{1}{\frac{1}{10} + \frac{1}{12}} = \frac{2}{\frac{1}{5} + \frac{1}{6}} = \frac{2 \times 30}{11} = 55 \frac{5}{11}$ days

Q6

work done by 2 skilled per day = $\frac{1}{20 \times 5} \times 2$

" " " 6 ^{semi}skilled " " = $\frac{1}{8 \times 25} \times 6$

" " " 5 unskilled " " = $\frac{1}{10 \times 30} \times 5$

time req = $\frac{1}{\frac{1}{10 \times 5} + \frac{2}{4 \times 25} + \frac{1}{60}} = \frac{1}{\frac{1}{50} + \frac{3}{100} + \frac{1}{60}}$

$$= \frac{10}{\frac{1}{5} + \frac{3}{10} + \frac{1}{6}} = \frac{60}{6+9+5} = \frac{300}{20} = 15 \text{ days}$$

Q7

$$A+B \rightarrow \frac{1}{12}$$

$$B+C \rightarrow \frac{1}{15}$$

$$A+C \rightarrow \frac{1}{20}$$

$$2(A+B+C) \rightarrow \frac{1}{12} + \frac{1}{15} + \frac{1}{20} = \frac{5+4+3}{60} = \frac{12}{60} = \frac{1}{5}$$

$$= \frac{25+20+15}{300} = \frac{60}{300} = \frac{1}{5}$$

$$\Rightarrow A+B+C \Rightarrow \frac{1}{10}$$

\therefore 10 days

Work done by A alone:

$$A+B \rightarrow \frac{1}{12}$$

$$\frac{-A+B \rightarrow \frac{1}{60}}{\hline}$$

$$2B \rightarrow \frac{6}{60} = \frac{1}{10}$$

$$\Rightarrow B \rightarrow \frac{1}{20}$$

\Rightarrow

$$A = \frac{1}{12} - \frac{1}{20} = \frac{5-3}{60} = \frac{2}{60} = \frac{1}{30}$$

~~A+B~~

$$B+C-A/C \rightarrow \frac{1}{15} - \frac{1}{20}$$

$$= \frac{4-3}{60} = \frac{1}{60}$$

\therefore A requires 30 days to finish the work

Q8

$$A - \frac{1}{9}$$

$$B - \frac{1}{12}$$

$$A+B \text{ (2 days)} - \frac{1}{9} + \frac{1}{12} = \frac{4+3}{36} = \frac{7}{36}$$

First 10 days (5 days) $\rightarrow \frac{35}{36}$, and $\frac{1}{36}$ the work is left

$$A \text{ requires } \frac{1/36}{1/9} = \frac{1}{4} \text{th day} \quad \therefore 10 \frac{1}{4} \text{ days}$$

(Q9)

~~P~~ P - $\frac{10^5}{8}$ per hr

Q - $\frac{10^5}{10}$ per hr

R - $\frac{10^5}{12}$ per hr

$$\left(\frac{10^5}{8} + \frac{10^5}{10} + \frac{10^5}{12}\right)(2) + \left(\frac{10^5}{10} + \frac{10^5}{12}\right)x = 10^5$$

$$\frac{1}{4} + \frac{1}{5} + \frac{1}{6} + x\left(\frac{1}{10} + \frac{1}{12}\right) = 1$$

$$x\left(\frac{6+5}{60}\right) = 1 - \left(\frac{15+12+10}{60}\right)$$

$$x\left(\frac{11}{60}\right) = \frac{23}{60}$$

$$x = \frac{23}{11} = 2\frac{1}{11} \text{ hrs}$$

$$11 + 2\frac{1}{11} \approx 1 \text{ PM}$$

(Q10)

A - $\frac{1}{12}$

B - $\frac{1}{15}$

C - $\frac{1}{30}$

$$3\left(\frac{1}{12}\right) + x\left(\frac{1}{12} + \frac{1}{15}\right) + 3\left(\frac{1}{15} + \frac{1}{30}\right) = 1$$

$$\frac{1}{4} + x\left(\frac{5+4}{60}\right) + \frac{3}{5}\left(\frac{2+1}{30}\right) = 1$$

$$x\left(\frac{3}{20}\right) = 1 - \frac{3}{10} - \frac{1}{4}$$

$$x\left(\frac{3}{20}\right) = \frac{40 \cdot 12 - 10}{40} = \frac{18}{40} \cdot 2$$

$$x = 3$$

$$\text{total days} = 3 + x + 3 = 3 + 3 + 3 = 9$$

Work & wages

wages \propto work

Q11

no 55

$$A + B + C = W$$

$$A + C = \frac{19}{23}W$$

$$\Rightarrow B = \left(1 - \frac{19}{23}\right)W = \frac{4}{23}W$$

$$\therefore B's \text{ payment} = \frac{4}{23}(575) = 100$$

Q12

$$A = \frac{1}{10}$$

$$B = \frac{1}{15}$$

$$A + B = \frac{1}{10} + \frac{1}{15} = \frac{3+2}{30} = \frac{1}{6}$$

$$A + B \text{ for 5 days} \Rightarrow \frac{5}{6}$$

$$\text{payment for } A + B = \frac{5}{6} \times 450 = 5 \times 75 = 375$$

$$A : B = \frac{\frac{1}{10}}{\frac{1}{15}} = 3 : 2$$

$$A's \text{ payment} = \frac{3}{5} \times 375 = 225$$

$$B's \text{ payment} = \frac{2}{5} \times 375 = 150$$

$$C's \text{ payment} = \frac{375}{450 - 375} = 75$$

\therefore opt (c)

Q13

$$B = x$$

$$A = \frac{7}{4}x$$

$$\Rightarrow A + B = \frac{11}{4}x \Rightarrow \text{time req} = \frac{1}{\frac{11}{4}x} = \frac{4}{11x} = 7 \Rightarrow x = \frac{4}{77}$$

$$B = \frac{4}{77} \Rightarrow A = \frac{7}{4} \left(\frac{4}{77}\right) = \frac{1}{11} \therefore 11 \text{ days}$$

1. $2x^2 + 3x - 5$
2. $x^2 - 4x + 7$
3. $5x^3 - 2x^2 + x - 8$

4. $3x^2 + 2x - 1$
5. $x^2 + 5x + 6$
6. $4x^3 + 3x^2 - 2x + 1$

7. $2x^2 - 3x + 4$
8. $x^2 - 7x + 12$
9. $6x^3 - 4x^2 + x - 9$

10. $3x^2 + 4x - 5$
11. $x^2 - 9x + 14$
12. $7x^3 - 5x^2 + 2x - 3$

Day 12

P011

There are 3 boxes in a table. One of the boxes contains gold and the other two are empty. A printed message contains in each box. One of the messages is true and the other two are lies.

Box 1 says "The gold is not here"

Box 2 says "The gold is not here"

Box 3 says "The gold is in the second box"

which box has the gold?

Sol:

Assume Box 1 is true:

B_1 doesn't contain gold

B_2 is ~~true~~ false $\Rightarrow B_2$ has gold $\Rightarrow B_3$ is true

$\therefore \alpha$

Assume Box 2 is true:

B_1 is false $\Rightarrow B_1$ has gold

B_2 is true \checkmark

B_3 is false \checkmark

$\therefore \checkmark$

Assume Box 3 is true

B_1 is false $\Rightarrow B_1$ has gold

B_2 is false $\Rightarrow B_2$ has ~~gold~~ gold } not possible

~~$\therefore \alpha$~~ $\therefore \alpha$

\therefore gold is in box 2

Chain Rule

work \propto members/machines (M)

w \propto ~~time~~ ^{days} (d), work \propto hrs/days (h)

w \propto efficiency (e)

\therefore ~~w \propto mte~~ $w \propto M d h e$

$$\Rightarrow \frac{w_1}{w_2} = \frac{M_1 D_1 H_1 E_1}{M_2 D_2 H_2 E_2} \Rightarrow \frac{M_1 D_1 H_1 E_1}{w_1} = \frac{M_2 D_2 H_2 E_2}{w_2}$$

slly

~~M, D, E, T~~

$$\frac{M_1 T_1 E_1}{w_1} = \frac{M_2 T_2 E_2}{w_2}$$

T is time

Q1

7M \rightarrow 7 min \rightarrow 7 toys

100M \rightarrow ? \rightarrow 100 toys

$$\frac{M_1 T_1 E_1}{w_1} = \frac{M_2 T_2 E_2}{w_2} \quad (\text{consider same efficiency})$$

$$\frac{7(7)}{7} = \frac{100(T)}{100}$$

$$\Rightarrow T = 7 \text{ min}$$

Q2

$$\frac{M_1 D_1 H_1 E_1}{w_1} = \frac{M_2 D_2 H_2 E_2}{w_2}$$

$$\frac{(2)(8)(12)(0.9)}{9000} = \frac{(3)(6)(x)(0.8)}{12000}$$

$$\Rightarrow x = 16 \text{ hrs/day}$$

Q3

$$\frac{M_1 D_1 H_1 E_1}{W_1} = \frac{M_2 D_2 H_2 E_1}{W_2}$$

$$\frac{4 \times 104 \times (30) \times 8}{\frac{2}{8} \times 10^3} = \frac{x \times (28) \times 9}{\frac{3}{8} \times 10^3}$$

$$\Rightarrow \cancel{4 \times 30 \times 3} \Rightarrow x = \frac{4 \times 30 \times 8 \times 8}{2 \times 9 \times 3}$$

$$\therefore 76$$

$$\Rightarrow x = 160$$

$\therefore 56$ additional robots.

Q4

$$Q - 25 \times 12 \text{ hrs} \Rightarrow e_Q : e_R = 2:1 \left(\because E \propto \frac{1}{T} \right)$$

$$R - 50 \times 12 \text{ hrs}$$

$$\frac{w_Q}{w_R} = \frac{T_Q e_Q}{T_R e_R} = \frac{5 \times 12 \times 2}{7 \times 18 \times \frac{1}{3}} = \frac{120}{42} = \frac{20}{7}$$

$$\Rightarrow 20:21$$

Q5

$$52M - 10 \text{ days}$$

$$40M - ?$$

$$\frac{M_1 T_1}{W_1} = \frac{M_2 T_2}{W_2}$$

$$\Rightarrow \frac{52(10)}{W} = \frac{40(T)}{W} \Rightarrow \underline{T=13}$$

$$\therefore 40M \rightarrow 13 \text{ days}$$

$$\therefore 13 - 10 = 3 \text{ days more}$$

86

40M — 48 days

$$M_1 T_1 = M_2 T_2$$

$$\frac{(40)(48)}{w} = \frac{M_2 T_2}{w_2}$$

★

86

~~work~~ let ~~work = 40M × 48d = 1920 Md~~

let work = 40M × 48d = 1920 Md



$$64x \text{ Md} + 96 \left(\frac{50}{3} \right) \text{ Md} = 1920 \text{ Md}$$

$$\Rightarrow 64x + 32(50) = 1920$$

$$64x \Rightarrow x = 5$$

87

$$1M \text{ — } \frac{1}{469 \times 2} \Rightarrow 7M = \frac{7}{469 \times 2}$$

$$1w \text{ — } \frac{1}{469 \times 5} \Rightarrow 5w = \frac{5}{469 \times 5}$$

$$1B \text{ — } \frac{1}{469 \times 7} \Rightarrow 2B = \frac{2}{469 \times 7}$$

$$\text{time req} = \frac{1}{\frac{1}{469} \left(\frac{7}{2} + 1 + \frac{2}{7} \right)} = \frac{469}{\frac{49 + 14 + 4}{14}}$$

$$= \frac{469 \times 14}{67} = 98 \text{ days}$$

88

work done per day

$$4M + 6w = \frac{1}{8} \Rightarrow 12M + 18w = \frac{3}{8}$$

$$3M + 7w = \frac{1}{10} \Rightarrow 12M + 28w = \frac{4}{10}$$

$$-10w = \frac{3}{8} - \frac{4}{10} = \frac{15 - 16}{40} = -\frac{1}{40}$$

$$\Rightarrow w = \frac{1}{400}$$

$$\therefore 10w = \frac{1}{40}$$

\therefore 40 days

Pipes & Cisterns

(Q9)

X \rightarrow $\frac{1}{5}$ tank per hr

Y \rightarrow $\frac{1}{4}$ tank per hr

Drainage \rightarrow $-\frac{1}{20}$

$$X + Y + \text{drainage} \Rightarrow \frac{1}{5} + \frac{1}{4} - \frac{1}{20} = \frac{4+9-1}{20} = \frac{8}{20}$$

$$\text{time req} = \frac{20}{8} = 2.5 \text{ hrs}$$

(Q10)

A \rightarrow $\frac{1}{10}$ per min

B \rightarrow $-\frac{1}{6}$

We need to empty $\frac{2}{5}$ th

$$1 \text{ min} \Rightarrow \frac{1}{10} - \frac{1}{6} = \frac{6-10}{60} = \frac{-4}{60} = -\frac{1}{15}$$

~~total tank~~ \rightarrow $\frac{1}{15}$

emptying total tank = 15 min

$$\text{for } \frac{2}{5} \Rightarrow \frac{2}{5} \times 15 = 6 \text{ min}$$

(Q11)

A is filling

B (hole) is emptying

A \rightarrow $\frac{1}{8}$

A+B \rightarrow $\frac{1}{10}$

$$\Rightarrow B = \frac{1}{10} - \frac{1}{8} = \frac{4-5}{40} = -\frac{1}{40} \text{ th tank is emptied per hr}$$

\therefore 40 hrs

Q12

$$A \rightarrow \frac{1}{30}$$

$$B \rightarrow \frac{1}{20}$$

$$C \rightarrow \frac{1}{10}$$

$$A : B : C = \frac{60}{30} : \frac{60}{20} : \frac{60}{10}$$

$$= 2 : 3 : 6$$

$$\therefore P : Q : R = 2 : 3 : 6$$

$$\text{Proportion of } R = \frac{6}{2+3+6} = \frac{6}{11}$$

Q13

$$\phi \text{ tap} \rightarrow \frac{1}{6}$$

$$3\left(\frac{1}{6}\right) + x\left(\frac{4}{6}\right) = 1$$

$$x\left(\frac{2}{3}\right) = \frac{1}{2}$$

$$\Rightarrow x = \frac{3}{4}$$

$$\text{total time} = 3\frac{3}{4} \text{ hrs}$$

i.e., 3 hrs 45 min

Q14

$$A - \frac{1}{12}$$

$$B - \frac{1}{15}$$

$$C - \frac{1}{20}$$

$$A+B = \frac{1}{12} + \frac{1}{15} = \frac{5+4}{60} = \frac{9}{60}$$

$$A+C = \frac{1}{12} + \frac{1}{20} = \frac{5+3}{60} = \frac{8}{60}$$

$$\text{for 2 hrs } \frac{9}{60} + \frac{8}{60} = \frac{17}{60} /$$

$$\text{in } 6 \text{ hrs} = \frac{17 \times 3}{60} = \frac{51}{60}$$

$$\text{in } 7^{\text{th}} \text{ hr } \frac{9}{60}$$

$$\therefore \frac{51}{60} + \frac{9}{60} = 1$$

$\therefore 7 \text{ hrs}$

Q15

$$P \rightarrow \frac{1}{6}$$

$$Q \rightarrow \frac{1}{9}$$

$$R \rightarrow -\frac{1}{12}$$

$$4\left(\frac{1}{6} - \frac{1}{12}\right) + 6\left(\frac{1}{9} - \frac{1}{12}\right) + x\left(\frac{1}{9}\right) = 1$$

$$\left(\frac{2}{3} - \frac{1}{3}\right) + \left(\frac{2}{3} - \frac{1}{2}\right) + \frac{x}{9} = 1$$

$$\frac{1}{3} + \frac{1}{6} + \frac{x}{9} = 1$$

$$\frac{x}{9} = 1 - \frac{1}{3} - \frac{1}{6} = \frac{18-6-3}{18} = \frac{9}{18}$$

$$\Rightarrow x = \frac{9}{2} = 4.5 \text{ hrs}$$

$$\text{Total time} = 4 + 6 + 4.5 = 14.5 \text{ hrs}$$

Q16

let capacity = l

$$A \rightarrow \frac{l}{20} \text{ gallons per min}$$

$$B \rightarrow \frac{l}{24}$$

$$C \rightarrow -6$$

$$15\left(\frac{l}{20} + \frac{l}{24} - 6\right) = l$$

$$\frac{l}{20} + \frac{l}{24} = 6 - \frac{l}{15} \Rightarrow \frac{6l}{15} = 6 - \frac{l}{15}$$

$$24l + 20l = 6 \times 20 \times 24 - 15l$$

$$44l = \frac{91}{15} \times 20 \times 24 \times 8$$

$$\frac{l}{20} + \frac{l}{24} - \frac{l}{15} = 6 \Rightarrow \frac{20l + 24l - 32l}{20 \times 24} = 6$$

$$\Rightarrow 12l = 6 \times 20 \times 24^2$$

$$l = 240 \text{ gallon}$$

Q17

$$\text{capacity} = 2400 \text{ m}^3$$

$$\text{filling} \rightarrow x \text{ m}^3/\text{min}$$

$$\text{emptying} \rightarrow x + 8 \text{ m}^3/\text{min}$$

$$t_f = \frac{2400}{x}$$

$$t_e = t_f - 8$$

$$t_f = \frac{2400}{x}$$

$$t_e = \frac{2400}{x+10}$$

$$t = \frac{2400}{x}$$

$$t - 8 = \frac{2400}{x+10}$$

$$\Rightarrow \frac{2400}{x} = \frac{2400}{x+10} + 8$$

$$\Rightarrow \frac{2400}{x} = \frac{2400 + 80x + 8x^2}{x+10}$$

$$2400x + 24000 = 2400 + 80x + 8x^2$$

$$8x^2 + 80x - 24000 = 0$$

$$x^2 + 10x - 3000 = 0$$

$$x^2 + 60x - 50x - 3000 = 0$$

$$x(x+60) - 50(x+60) = 0$$

$$\Rightarrow (x-50)(x+60) = 0$$

$$\Rightarrow x = 50 \text{ m}^3/\text{min}$$

18/08/20
day 13

P12

If $ABCD \times 9 = DCBA$ where A, B, C, D are unique integers from 0 to 9. Find $A = ?$ & $D = ?$

Sol:

$A \neq 0$ \because 4 digit number

if $A \geq 2$ then

$ABCD \times 9$ will be 5 digit number

$$1BCD \times 9 = 9CB1$$

$$\therefore A = 1 \quad D = 9$$

$$\begin{array}{r} 1BC9 \times 9 \\ \hline 9CBI \end{array}$$

$$\Rightarrow 9(1000 + 100B + 10C + 9) = 9000 + 100C + 10B + 1$$

$$9000 + 900B + 90C + 81 = 9000 + 100C + 10B + 1$$

$$890B + 80 = 10C$$

$$\Rightarrow 89B + 8 = C$$

Since C ranges from 0 to 9
value of B must be 0

$$\therefore C = 8$$

$$\therefore 1089 \times 9 = 9801$$

Coding & Decoding

1	2	3	4	5	6	7	8	9	10	11	12	13
A	B	C	D	E	F	G	H	I	J	K	L	M
26	25	24	23	22	21	20	19	18	17	16	15	14
Z	Y	X	W	V	U	T	S	R	Q	P	O	N

Height \Rightarrow H 8, Right to vote \Rightarrow 20 18

KXIP \Rightarrow 11, T20 \Rightarrow 20, 7/4 movie \Rightarrow 7

EJOTY
5 10 15 20 25

MJ 3 (13)

MNOP
13 14 15 16

WJ 3 (23)

\rightarrow Sometimes reverse coding may be use

- i.e., 1 for Z
- 2 for Y
- ...
- 26 for A

for any letter

$$\text{reverse code} + \text{forward code} = 27$$

Q1) $D=4$

$$\begin{array}{c} \text{COVER} = 63 \\ / \quad | \quad | \quad | \quad \backslash \\ 3 + 15 + 22 + 5 + 18 \\ \hline 63 \end{array}$$

$$\begin{array}{c} \therefore \text{BASIS} \\ / \quad | \quad | \quad | \quad \backslash \\ 2 + 1 + 19 + 9 + 19 \\ \hline 50 \end{array}$$

Q2)

$$\begin{array}{c} A T = 20 \\ / \quad \backslash \\ 1 \quad 20 \end{array} \quad 1 \times 20 = 20$$

$$\begin{array}{c} B A T = 40 \\ / \quad | \quad \backslash \\ 2 \quad 1 \quad 20 \end{array} \quad 2 \times 1 \times 20 = 40$$

$$\Rightarrow C A T \Rightarrow 3 \times 1 \times 20 = 60$$

Q3)

M A C H I N E } 6 difference
13 1 3 8 9 14 5
19 7 9 14 15 26 11

D A N G E R
4 1 14 7 5 18

10 7 20 13 16 24

∴ opt (a)

Q4)

E=10 (5) S=20 (10) O=30 (15) T=40 (20)

$$\begin{array}{c} P + E + S + T \\ (16 \times 2) \quad (5 \times 2) \quad (14 \times 2) \quad (20 \times 2) \end{array}$$

$$32 + 10 + 28 + 40 = 120$$

Q5 Z=52 (26x2)

A C T = 48

(1) (3) (20)

(20+3+1)x2=48

BAT => (20+1+2)x2=46
(2) (1) (20)

Q6

WELCOME — 4 2 2 1 5 2 4 1 2 1 4 2 2

1 1 1 1 1 1
23 5 12 3 15 13 5

reverse code : 4 2 1 15 2 12 14 22

F O R M U L A

6 15 18 13 21 12 1

21 12 9 14 6 15 26

∴ 211291461526

Q7

A R O M A = 24

1 18 15 13 1

$\frac{1+18+15+13+1}{2} = 24$

G R A M D = 22

7 18 1 14 4

$\frac{7+18+1+14+4}{2} = 22$

=> K W A L I T Y

" 23 1 12 9 20 25

$\frac{101}{2} = 50.5$

*

Q8

(i) A B L E
1 2 12 5

1 2 3 26 27 28
A B C... Z A B

~~Row: 26 25 15 22~~

27 28 12 5

23 24 8 1 (-4)

~~D A B R~~ D A R K

30 27 18 11

26 23 14 7 (-4)

(ii) M E A N D E R

13			14			18
↓+1			↓+1			↓+1
4	5	1	5	4	5	9

M A T H E M A T I C S

13		20		13		20		19	11	9	10	21
↓		↓		↓		↓		↓		↓		↓
4	1	2	8	5	4	1	2	9	3			

19 → 1+9 → 10 = 1+0 = 1

Q9

BARS - 10.00

1	1	1	1
2	1	18	19
<hr/>			
40/4 = 10			

DEEZ

4+5+5+26 = 40
 $\frac{40}{4} = 10$

PLANT

16 12 14 20 ⇒ $\frac{63}{5} = 12.6$

LEAVES

12 5 1 22 5 19 ⇒ $\frac{64}{6} = 10.66$

Q10

$$\begin{array}{r} C A R = 19 \\ 3 + 1 + 18 = 22 \end{array} \left. \vphantom{\begin{array}{r} C A R \\ 3 + 1 + 18 \end{array}} \right\} \text{diff } \textcircled{3} \text{ (no of letters)}$$

$$\begin{array}{r} T R U C K = 68 \\ 20 + 18 + 21 + 3 + 11 = 73 \end{array} \left. \vphantom{\begin{array}{r} T R U C K \\ 20 + 18 + 21 + 3 + 11 \end{array}} \right\} \text{diff } \textcircled{5} \text{ (no of letters)}$$

$$\begin{array}{r} T A X P \\ 20 + 1 + 24 + 16 = 61 \\ \Rightarrow 61 - 4 = 57 \end{array}$$

→ Sometime coding can be done only on no of letters present in the word rather than the letters in the word.

Q11

$$\begin{array}{r} L U X O R - 30 \\ (5 \times 6) \\ \downarrow \\ \text{no of letters} \end{array}$$

$$\begin{array}{r} T A I L - 24 \\ (4 \times 6) \end{array}$$

$$\begin{array}{r} \therefore G U I L D S \\ 6 \times 6 = 36 \end{array}$$

Q12

$$\begin{array}{r} T A P E - 4825 \\ 20 \quad 1 \quad 16 \quad 5 \\ \diagdown \quad \diagup \\ S H A R T - 93814 \\ 19 \quad 8 \quad 1 \quad 18 \quad 20 \end{array}$$

observing in the question they only mapped a value to each letter

$$\begin{array}{r|l|l} \text{T A P E} & \text{S H A R T} & \text{T U B E} \\ \hline 4825 & 93814 & 4675 \end{array}$$


$$\begin{array}{r} \therefore \text{B A S E R A} \\ 789518 \end{array}$$

Letter Coding:


Here one letter is encoded into another letter

Q13

A M C F → E Q G J
1 13 3 6 5 17 7 10



N K U F → R O Y J
14 11 21, 6 18 15 25 10



Amongst the letters, the letters which are not in the given sequence

∴ D H L P

4 8 12 16

+4 ⇒ 8 12 16 20

H L P T

Q14

SEASONAL → ESSANOLA

Adjacent letters are swapped

SEPARATE

ESAPARET

Q15

(i) ~~SWIT~~ SWITCH
T V J S D G
+1 -1 +1 -1 +1 -1

B R ~~E~~ A D

C Q F Z E

∴ BREAD

(ii) I D C

+1 ⇒ J E D

Q16

⁶ F R I E N D ⁴
 23 [I U L H Q G] +3
 9 7

E N E M Y

H Q H P B

Q17

(i) T O G E T H E R
 20 15 7 5 20 8 5 18

R E G R E C T
 18 17 5 7 18 10 3 20
 (+2) (+2) (-2) (+2) - - - -

P A R O L E
 16 1 18 15 12 5
 14 3 16 17 10 7
 N C P Q J G

(ii)

M O N K E Y
 13 15 14 11 5 25
~~X D J M N L~~ ↓ -1
 24 4 10 13 14 12

T I G E R
 20 9 7 5 18
 17 4 6 8 19
 Q D F H S

Q18

R O M E
 18 15 13 5

S U N I
 19 21 14 9

Bo

B O M B A Y
 2 15 13 2 1 25

C U N C E Z
 3 21 14 3 5 28

∴ ~~A - E - S~~ I -

Here for consonants +1 is done

for vowels next vowel is substituted (i.e., +4)

A S I A

E T O E

Q19

D E L H I

4 5 12 8 9

C C I D D

3 3 9 4 4

(-1) (-2) (-3) (-4) (-5)

∴ B O M B A Y

2 15 13 2 1 25

1 13 10 24 22 19

A M J X V S

Q20

E D U C A T I O N

5 4 21 3 1 20 9 15 14

W V X F Z R G M L

23 22 24 6 26 18 7 13 12

Reverse Coding

Sum = 27

C H A L L E N G E

3 12 15

X - - O - - -

∴ opt C

Q21

(No SS)

x2

FRAGRANCE

6 18 1 7 18 14 3 5

I E T H R G E P C

9 3 20 8 18 7 5 16 3

S O P H I S T I C A T E D

U K J R Q U T

∴ opt C

(Q22)

i) 0 1 2 ... 7 8 9

O P Q ... V W X

0 1 2 3 4 5 ...

O P Q R S T ...

$$\therefore 45 = ST$$

(ii)

$$P = 3$$

Q

$$R = 27 = 3^3$$

S

$$T = 243 = 3^5$$

$$\Rightarrow Q = 3^2 = 9 \quad S = 3^4 = 81$$

$$Q + S = 9 + 81 = 90$$

Mixed Coding

(Q23)

851 - g s f - ①

783 - g s f - ②

341 - s a f - ③

$$\textcircled{1} \& \textcircled{3} \Rightarrow f - 1$$

$$\textcircled{1} \& \textcircled{2} \Rightarrow g - 8$$

$$\text{From } \textcircled{1} \quad \therefore \text{sweet} = 5$$

(Q24)

sti nro kti - rb po do } nro-do

nro bsi mit - do he go } bsi-he

bsi sro zpi - di bl he

$$\therefore \text{-goes-mit}$$

Q25) gorbflur - (fan) belt } fan-gorbl
 pizngorbl - ceiling (fan) } ceiling-pizn
 arthturl - tile roof

ceiling tile - ?

pizn —

from options opt (a)

Substitution Coding

Q26) In that coding well is called island

∴ island

Q27) BED is called WINDOW

∴ WINDOW

Q28) KCLFTSB - ~~best of luck~~ (skip vowel & write ~~best~~ in reverse)

SHSWDG - good wishes

~~best~~ the begin - ?

MXHTC

Day 14

PUI3

IR $12 + 13 + 14 = 345$

$23 + 52 + 45 = 579$ then

$22 + 33 + 44 = ?$

add digits $\frac{12}{3} + \frac{13}{4} + \frac{14}{5} = 345$

$\frac{23}{5} + \frac{52}{7} + \frac{45}{9} = 579$

$\frac{22}{4} + \frac{33}{6} + \frac{44}{8} = 468$

(P14) If $11@12 = 133$
 $13@14 = 183$
 $17@18 = 307$
 $21@22 = ?$

$$11@12 = 11 \times 12 + 1 = 133$$

$$a@b = a \times b + 1 = a^2 + b = b^2 - a$$

$$\therefore 21@22 = 462 + 1 = 463$$

(****) ~~Series~~ Series, analogy & Classification

↳ no question from analogy in gate till now

Number Series

- * slowly increasing \uparrow , slowly \downarrow
- * fast \uparrow , fast \downarrow (combination of multiplication & addition)
- * Mixed series ($\uparrow\downarrow, \downarrow\uparrow$) (fast \downarrow - division & add (or) sub)
- * prime numbers \rightarrow (two separate series given may be given with alternation)
- * ~~pp~~ squares,
- * cubes
- * $\times 1.5, \times 2, \times 2.5, \times 3, \times 3.5 \dots$ (numbers may end with $0.25, 0.5, 0.125 \dots$ etc)

(Q1)

$$10, 100, 200, 310, 430$$

$$\begin{array}{ccccccc} & \underbrace{\hspace{1cm}} & \underbrace{\hspace{1cm}} & \underbrace{\hspace{1cm}} & \underbrace{\hspace{1cm}} & & \\ & 90 & 100 & 110 & 120 & & \end{array}$$

(Q2)

$$125, 80, 45, 20, 5$$

$$\begin{array}{ccccccc} & \underbrace{\hspace{1cm}} & \underbrace{\hspace{1cm}} & \underbrace{\hspace{1cm}} & \underbrace{\hspace{1cm}} & & \\ & -45 & -35 & -25 & -15 & & \end{array}$$

Q3

$$195, 194, 185, 169, 144$$

$$\begin{array}{cccc} \text{---} & \text{---} & \text{---} & \text{---} \\ 4 & 9 & 16 & 25 \\ (2^2) & (3^2) & (4^2) & (5^2) \end{array}$$

Q4

$$15, 33, 104, \text{---}, 2124, 12755, 89298$$

The series is fast ↑

∴

$$15 \quad 33 \quad 104 \quad 423 \quad 2124$$

$$\begin{array}{cccc} \text{---} & \text{---} & \text{---} & \text{---} \\ 15 \times 2 + 3 & 33 \times 3 + 5 & 104 \times 4 + 7 & 423 \times 5 + 9 \end{array}$$

$$\therefore \underline{423}$$

Q5

$$5760, 960, \text{---}, 48, 16, 8$$

fast ↓

we can even write it in reverse to see as fast ↑

$$8, 16, 48, \underline{192}, 960, 5760$$

$$\begin{array}{cccc} \text{---} & \text{---} & \text{---} & \text{---} \\ \times 2 & \times 3 & \times 4 & \times 5 \end{array}$$

$$\therefore \underline{192}$$

Q6

$$1, 4, 27, 16, \text{---}, 36, 343$$

$$(1^3) (2^2) (3^3) (4^2) (5^3) (6^2) (7^3)$$

} This is a kind of mixed series

$$\therefore \underline{5^3 = 125}$$

Q7

$$8, 31, 122, 485, 1936, 7739, \text{---}$$


~~Q7~~

$$8 \times 4 - 1 = 31$$



$$31 \times 4 - 2 = 122$$

∴

$$7739 \times 4 - 6 = \underline{30950}$$



$\therefore 20 \times 2 = 40$




Q9 $0, 6, 24, 60, 120, 210$ —

each i th term is of form $i^3 - 1$

$1^3 - 1 = 0$
 $2^3 - 1 = 7$
 $3^3 - 1 = 26$
 \vdots
 $7^3 - 1 = 342$

Method 2 :



when we have conflicts with the order of priority is

- (i) prime number
- (ii) square, cubes, square roots...
- (iii) \div
- (iv) \times
- (v) $+, -$

Ex: $5, 10, 20$ —


This can be seen in 2 ways

Multiplication has more priority
 $\therefore 40$ is answer

Q10 $589654237, 89654237, 8965423, 965423, \dots$

~~$589654237 - 89654237 - 8965423 - 965423 - 96542$~~

Q11



$12 \div 6 = 2$

$50 \div 2 = 25$

$100 \div 25 = 4$

$200 \div 4 = 50$

$\frac{150}{3} \div 50 = 3$

$\therefore 150$

Q12

$11 \frac{1}{9}, 12 \frac{1}{2}, 14 \frac{2}{7}, 16 \frac{2}{3}, \dots$

$\frac{100}{9}, \frac{25}{2}, \frac{100}{7}, \frac{50}{3}$

$\frac{100}{9}, \frac{100}{8}, \frac{100}{7}, \frac{100}{6}, \frac{100}{5}$

$\frac{100}{5} = 20$

Q13


(i) 343, 1331, _____, 4913

$(7^3), (11^3), (13^3), (17^3)$ [cube of prime numbers]

$13^3 = 2197$

Q14


2, 12, 60, 240, 720, 1440, _____, 0



$\therefore 1440$

Q15

81, 54, 36, 24, _____, 16



Method 2 :


$$81 \times \frac{2}{3} = 54$$

$$54 \times \frac{2}{3} = 36$$

...

$$24 \times \frac{2}{3} = 16$$




Method 3 :



$$2x + x = 24$$

$$\Rightarrow x = 8$$

$$\Rightarrow 2x = 16$$




Silly

$$3 \times 4.5 = 13.5 = A$$

$$13.5 \times 5 = 67.5 = B$$

⋮

Q18



Sly $214 - 196 = 18 = A$

$18 + 144 = 162 = B$

$162 - 100 = 62 = C$

$62 + 64 = 126 = D$

$126 - 36 = 90 = E$

$\therefore E = 97$

Q19

10, 12, 28, 90, 368, 1840, 11112

$10 \times 1 + 2 = 12$

$12 \times 2 + 4 = 28$

$28 \times 3 + 6 = 90$

$90 \times 4 + 8 = 368$

$368 \times 5 + 10 = 1850$

$\therefore 1840$ is wrong

If it is mentioned one term wrong,
and If we ever find 2 wrong
numbers, then we should change
the logic

Q20

4, 6, 12, 30, 90, 312, 50, 1260

$4 \times 1.5 = 6$

$6 \times 2 = 12$

$12 \times 2.5 = 30$

$30 \times 3 = 90$

$90 \times 3.5 = 315$

$\therefore 312.5$

Q21

2, 3, 10, 40, 172, 885, 5346

$2 \times 1 + 1 = 3$ ($xn + n^2$)

$3 \times 2 + 4 = 10$


$10 \times 3 + 9 = 39$

$39 \times 4 + 16 = 172$

$\therefore 40$

Q22


1500, 1581, 1664, 1749, 1833, 1925, 2016



$\therefore \downarrow$
 $\therefore 18363$ (should have been 1836)

Q23

5, 55, 495, 3465, 17325, 34650, 51975




$17325 \times 3 = 51975$

$\therefore 34650$

Q24

46080, 3840, 384, 48, 24, 2, 1

rev: 1, 2, 24, 48, 384, 3840, 46080




$2 \times 4 = 8, 8 \times 6 = 48$

$\therefore 24$

Q25


5, 27, 61, 122, 213, 340, 509



$3^3 - 3 = 24$

$\therefore 27$

Q26 (i)



(ii)

7G, 11K, 13M, _____

prime numbers \Rightarrow 17

G K M Q

7 11 13 17

$\therefore 17Q$

(iii) 13M, 17Q, 19S —


primes & corresponding letter

∴ 23W

Q27 (i) A, CD, GHI, MNOP
(B) (EF) (JKL)

(ii) Z, WV, RQP, KJIH
(YX) (UTS) (ONML)

(iii) BC, FGH, LMNO, TUVWX
(D) (E) (IJK) (PQRS)



(ii) ~~A~~DVENTURE
DVENTURE
~~D~~VENTUR
VENTUR ∴ VENTUR
VENTU

Q29 (i) DII, H13, L, P19, — 23, X29

Primes

11, 13, 17, 19, 23, 29

∴

(D) D H L P T X
4 8 12 16 20

∴ 17, T

Q20 (i) KMS, IP8, GS11, EV14, —

S, 8, 11, 14 (17)
(+3)

K	I	G	E	C		M	P	S	V	Y
11	9	7	5	3		13	16	19	22	25

∴ CY17

(ii) 2, 7, 12, 17, 22

S, 7, 9, 11, 13

Z	X	V	T	R
26	24	22	20	18

∴ 17 T 11

Q31 (i) bca a b ca a b ca a b ca

(bcaa) is repeated

∴ acab

(ii) b aa b ba a bb a ab ba ab

(baab) is repeated

∴ bbaab

(iii) a b a d n a a b a d n a a b a d n a a b

(abadna) is repeated

∴ andaa

Q32 (i) $cccbbbaaaacccbbbaaac$
 \downarrow
 \uparrow
 $\therefore baca$

(ii) $abcddabccdbcbda$
 $\therefore daeab$

(ii) $abcdabccdbcbda$
 $\therefore dacab$

Q33 Odd one out:

- * cubes, square
- + prime
- * divisible by n
- * sum of digits
- * even, odd

Q33 sum of digit is 9 for all except for opt (b)

Q34 Except 81, all are primes

Q35 abc

$\hookrightarrow b = a + c$

(or) all are divisible by 11

only opt (a) doesn't satisfy

Q36 (i) $\begin{matrix} EV & Z & A \\ / & \backslash & / \\ 5 + 22 & = 27 & 26 + 1 = 27 \end{matrix}$

\therefore opt (d)

(i) A L R V X E P V Z B
 1 12 5 16

I T Z D F O Y F I K
 9 20 (15 25)

∴ opt (d)

(ii) Q W Z B
 ↓
 A
 B H K M
 ↓
 L
 W C G J
 ↓
 H I
 M S V X
 ↓
 W

∴ opt (c)

(37) (i) Except 97 rest are perfect square

(ii) 137 91 136 78
 ↑ ↓ ↓ ↑
 13x7=91 13x6=78

∴ opt (d)

(38) (i) N F H M K
 ~~2~~ ~~3~~ ~~4~~ ~~5~~ ~~6~~

N F H M K
 (3 lines) (3 lines) (3 line) (4 lines) (3 lines)

∴ M

(ii) W E K O I Q W A F A T X N V B D
 / \ / \ / \ / \
 11 15 23 27 20 24 2 4

∴ opt (d)

Q39 Except 33 rest are primes

Q40 T Y N | B F D | M Q O | L P N | Q U S
20 25 | 2 6 4 | 13 17 | 12 16 | 17 21

∴ opt a

Q41 Except Man rest are blood relations

Q42 bridge

20/08/20
day 14

Q1

(i) $\begin{array}{r} 6/48 \\ 3/24 \\ 7/56 \\ \hline \end{array}$ $\frac{48}{6} = 8$
 $\frac{24}{3} = 8$
 $\frac{56}{7} = 8$

but $\frac{21}{7} = 3$

∴ opt (b)

(ii) $13 \times 3 + 1 = 40$

$15 \times 3 + 1 = 46$

∴ opt (b)

(iii) $\left(\frac{14}{2}\right)^2 = 49$

$\left(\frac{16}{2}\right)^2 = 64$

∴ opt (d)

Analogy



Q2

$$4 : 16 : 36 : \underline{64}$$

$$2^2 \quad 4^2 \quad 6^2 \quad 8^2$$

Q3

i) $42 : 56 :: 110 : \underline{132}$

$$\begin{array}{cccc} | & | & | & | \\ 6 \times 7 & 7 \times 8 & 10 \times 11 & 11 \times 12 \end{array}$$

ii) $68 : 130 :: \underline{222} : 350$

$$\begin{array}{cccc} / & | & | & \backslash \\ 4^3 + 4 & 5^3 + 5 & 6^3 + 6 & 7^3 + 7 \end{array}$$

Q4

i) $11529 : 92135$

$$72135 - 11529 = 60606$$

$$\therefore 152943 + 60606 = 213549$$

Here based on the options we may need to choose the logic

ii)

$27 : 9 :: \underline{\quad} : \underline{\quad}$

$$(\sqrt{9})^3 = 27$$

sly a) ~~$(\sqrt{8})^3 = 64$~~

b) $(\sqrt{81})^3 = 729$

Q5

i) $(48, 24, 12)$

$$\begin{array}{cc} \cup & \cup \\ \phi \div 2 & \div 2 \end{array}$$

\therefore opt c

(ii) MO : 13120
 rev code
 forward code

∴ opt (b)

(Q6) (i) MARINE : AIENRM
 Shuffle

DISGUISE → forward
 → reverse

~~SCHEMATA~~ IAIESUSD
 ∴ opt (c)

(ii) ACEG : IKMO
 1 3 5 7 9 11 13 15
 add 8

Q S U W : Y A C E
 17 25

(Q7) (i) FILM : ADGH
 6 9 12 14 7
 -5

MILK : HDGF
 ∴ opt (c)

(ii) QPRS : TUWV
 +5
 +3
 +3

∴ JI KL : MNPO

(Q8) (i) ADE : FGJ
TS +3 TS
KNO : PQT

(ii) ~~WIDELY~~ WIDELY : HVCDXK

HVCDXK : WIDELY

H V C D X K
X I I X
W I D E L Y (next letters)

∴ B E H M D E
X I I X
F R I N G E

Blood Relations

- great grand parents
- 1st gen - grand parents
- 2nd gen - parents, Aunt, uncle, father-in-law, Mother-in-law
- 3rd gen - You, siblings, spouse, cousin, brother-in-law, sister-in-law
- 4th gen - child, nephew, niece, son-in-law, Daughter-in-law,
- 5th gen - grand child

great ~~grand~~ grand child

Siblings → brother & sister from same parents

Cousins → Aunt/uncle, child

~~Brother-in-law~~

spouse → wife / husband

Brother-in-law → spouse's brother (or) Sisters's husband

Sister-in-law → spouse's sister (or) Brother's wife

Father-in-law → spouse's father

Mother-in-law → spouse's mother

Nephew → sibling's son

Niece → sibling's daughter

Daughter-in-law → son's wife

Son-in-law → daughter's wife

Aunt → parent's sister

Uncle → parent's brother

Paternal uncle → father's brother

Maternal uncle → mother's brother

~~Father's mother~~ → ~~pal~~

Paternal grandmother → father's mother


Maternal grandmother → mother's mother

Cousin-in-law → cousin's wife / husband

First cousin → ~~cousin~~ cousin's child

Second cousin → cousin's grand child

Q9




Convention
 + → Male
 - → Female

L is father's brother to M

∴ L is uncle of M

M is niece of L

Q10




Q is parent's brother to T

∴ Q is uncle to T ✓

Also T is nephew of Q

Q11



A & B are parents of B


∴ B is female

B is brother's wife to E

∴ i.e., sister-in-law ✓

E is brother-in-law to B


Q12



(i) 6 is cousin to 3

(ii) 1 have 2 nephew (i.e., 3, 6)

Q13




(i) males - 4

(ii) A


(iii) 3

Q14




\therefore ~~grandchild~~ grandchild

Q15



\therefore opt (c)

Q16




\therefore opt (a)


Q17

(i)

X # Y * Z \$ W




(ii)




Q18

a)




b)




$\therefore \text{opt (b)}$

Q19




Q20



$\therefore \text{Cousin}$

Q21



Q22

only child of grandmother
↳ parent

~~∴ given is woman~~

~~∴ parent~~


parent's daughter = sister

Q23

wife of my husband
herself

daughter's brother — son

Q24



Q25



X speaking to Y
(man) (woman)

∴ Mother